

Introducing our freestanding range of sensor-controlled appliances with iSensoric technology. Fully coordinated, they are good looking on their own and fabulous together. Siemens appliances combine innovative and intelligent technology with energy efficiency and sleek, stylish design.

In this brochure, discover iSensoric technology including our precision dosing washing machine, which produces outstanding wash results whilst saving litres of water a year, and our most energy efficient tumble dryer. We also present our latest range of award-winning dishwashers featuring the world's first Zeolith® drying system; a technological innovation that sets new standards for performance and energy efficiency. Take a look at our stylish fridge freezers, fridges and freezers that never have to be defrosted, all combining to make your life easier, for your home.

Stunning designs that your friends will envy, clean lines that coordinate with the rest of your living space and high quality materials come as standard with all Siemens appliances. Offering you the perfect balance between modern design and innovative technology.



Look out for this icon to indicate new products and features for 2017.



Home laundry	8-39
avantgarde	18-19
Washing machines	25-26
Tumble dryers	30-31
Washer dryers	35
Dishwashers	40-55
Full-size (60cm)	50-51
Slimline (45cm)	54
Cooling	56-83
Fridge freezers	70-73
Upright fridges and freezers	
American fridge freezers	
Services	84-90
Customer service	84-85
Contact us	86-87
Greener products, cleaner planet	88-89



Siemens presents: iSensoric.

Sensor-controlled performance for a new sense of freedom.

As well as perfect washing results, clean dishes and long-lasting freshness for your food, iSensoric delivers maximum efficiency to give you more time and leave your daily routine behind.

Enrich your life with iSensoric technology: fully focus on what's important to you, dive into a new adventure every day and discover each chance that life has to offer.


iSensoric is an innovative network of sensors built into each appliance. They interact with intelligent software to manage your home appliances automatically. And because it's automatic, you don't have to think about anything else – except for what to do with your day.

All of the appliances equipped with iSensoric are less dependent on your interaction in many ways. The revolutionary technology makes each household task even more convenient and provides you with the best possible results at the same time.



Intelligent sensors within our washing machines and dishwashers measure the cloudiness of the water to automatically adjust the programme.





Ovens & Coffee Centre

- Recipe World offers you a wide range of delicious recipes – choose your favourite and send the ideal settings directly to the oven.
- Operate the oven intuitively from wherever you are, for instance to preheat it while you are on your way home.
- The coffeeWorld in your Home Connect App provides an additional variety of delicious coffee specialties from around the world.
- The coffeePlaylist enables you to transfer the beverage wishes of all your guests remotely to the appliance at once – the coffee centre will then prepare one after another.

Models shown: HN678GES6B single oven, CT636LES6 coffee centre, BI630CNS1B warming drawer



Hobs & Hoods

- Remote monitoring gives you an overview of your appliance's current status – from wherever you are.
- Intuitively change and select settings on your appliances via the Home Connect App.
- Push notifications inform you about your appliances such as when the filters need replacing.
- · Access 256 colours to set the ambient lighting of selected hoods with emotionLight Pro.



Dishwashers

- Remote controlling lets you select options, and start programmes intuitively wherever
- With the Tab Counter, you get Push Notifications whenever the supply of dishwasher tabs needs to be refilled.

Models shown: LC97FVW60B hood, EX975KXW1E hob (launched September 2017) Model shown: SN678D06TG built-in dishwasher



Fridge Freezers

- Cameras in the fridge let you check the contents of your fridge from wherever you are, whenever you want.
- Remote controlling allows you to intuitively select and activate the ideal setting for your refrigerator.



Washing Machines & Washer Dryers

- Remote monitoring provides you with an easy overview of your appliance's current status – from wherever you are.
- Push notifications inform you when the cycle is finished and, for our i-Dos model, whenever the fill status of detergent or fabric softener is getting low.



Is an appliance Wi-Fi ready?
To see which of our appliances come with Wi-Fi-enabled Home Connect. look out for the Wi-Fi ready icon on each



Discover even more about Home Connect.

To find out all about the exciting possibilities that Siemens Home Appliances with Home Connect have to offer, go to siemens-home.bsh-group.com/uk/home-connect

Home Connect is a service offered by Home Connect GmbH. To use Home Connect, you have to create a user account and register with Home Connect GmbH.

Model shown: KG36NHI32 fridge freezer

Models shown: WMH4Y890GB washing machine WT4HY790GB washer dryer

Speed. Energy-efficency. Style.



The power of interacting sensors.

Siemens presents: iSensoric

The unique quality 1 i-Dos that distinguishes the iSensoric technology is the connection of all the sensors.

Automatic dosage of the detergent. The i-Dos system is the combination of all the sensors. It automatically determines the exact amount of liquid detergent needed for each laundry cycle, based on weight of the load and what programme is used. The built-in drawer conveniently holds enough liquid detergent for around 20 washes, meaning you don't have to measure and fill the container for every wash. Plus as the correct amount of detergent is used every time, clothes will receive the perfect wash.

2 Textile Guard

Working with Nikwax, Textile Guard applies a waterproof treatment to breathable fabrics, prolonging the life of high quality functional clothing like winter jackets, fleeces and ski suits. Simply add the Nikwax treatment to your detergent drawer and select the Textile Guard option.

autoStain removal system

The autoStain removal system removes the 16 most common stains. Each stain is different, whether it comes to tomatoes, grass or red wine! The autoStain system knows exactly how to handle these stains. The temperature sensor selects the right temperature intensity of the odour. for the molecular properties of the stain. The flow sensor and load sensor plus choose the right amount of water in order to remove the stain.

4 Outdoor Wear

Since outdoor wear is mostly made of synthetic fibre, the dirt stays on the surface and needs to be rinsed with lots of water. With iSensoric, the exact amount of water in relation to the load volume is monitored by the flow sensor and the load sensor plus, to only ever use the optimum amount. As most outdoor wear has welded seams, the temperature sensor also controls the heat level to avoid damage to the seam.

5 varioPerfect

With varioPerfect you can determine the washing process depending on what is important to you; saving time or energy, without compromising on quality or cleanliness.

6 Auto Programmes

With Auto programmes the amount of water, energy and the amount of detergent needed is tailored to the amount of laundry in the machine. The flow sensor accurately measures how much water is needed, while the load sensor plus measures how much and what kind of laundry is put into the drum. Each wash cycle will detect the necessary requirements, using the minimum consumption of water, energy and detergent, but always with a perfect washing result. Auto programmes – powered

7 sensoFresh

Get rid of odours such as cigarette smoke or kitchen smells – the sensoFresh programme provides odour elimination in a short time, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the





sensoFresh uses the power of active oxygen

Discover the power of active oxygen in the revolutionary sensoFresh system. Powered by iSensoric.

Beautiful memories are too precious to be compromised by bad smells. You can't prevent your clothes from picking up odours when you're enjoying the moment – but that's no problem for sensoFresh. Thanks to the use of active oxygen, you can now remove odours quickly in your washing machine, without using water or detergent. Even for sensitive clothes or textiles that aren't meant to be washed. Finally, you're able to enjoy your life to the fullest – and your clothes will be refreshed for the following day.

The use of active oxygen marks the latest revolution in laundry care. The iQ500 washing machine with the sensoFresh system provides the ideal solution to refresh almost any type of textile without using water or detergent. Whether it comes to odours or germs – active oxygen removes them easily and thoroughly, providing pleasantly fresh clothes and outstanding hygiene. Prepare yourself for a new level of convenience.



Effective odour removal with active oxygen:

The sensoFresh programme.

Get rid of odours such as kitchen smells without the use of water or detergent – the sensoFresh Programme provides odour elimination quickly, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the intensity of the odour.



Meets your highest hygiene standards:

The drum clean programme.

The programme for cleaning the washing machine's drum prevents the formation of odours inside the drum. Active oxygen prevents the accumulation of odour-causing bacteria effectively and ensures a hygienically clean machine.



Hygienically clean laundry even at low temperatures: The hygiene programme.

The hygiene programme is particularly suitable for delicate textiles that cannot be washed in a high-temperature wash programme. Thanks to the use of active oxygen, the laundry is hygienically cleaned even at low temperatures down to 40°C.

Experience more

There is much more to discover about the sensoFresh system, its benefits and technology. Everything you need to know, you'll find at www.siemens-home.bsh-group.com/uk/sensofresh


Just add laundry!

The i-Dos system automatically determines how much detergent is needed for each of your wash loads, based on the weight of the laundry and programme used.





Saving you time, the i-Dos washing machine allows you to simply place your clothes in the drum, select your desired programme and relax. The i-Dos system uses a combination of all the sensors to automatically determine the exact amount of liquid detergent needed for each of your laundry cycles, depending on the weight of the load and what programme is used. With the built-in drawer conveniently holding enough liquid detergent for around 20 washes, not only does this mean you don't have to measure and fill the container for every wash, but as the correct amount of liquid detergent is used every time, your clothes will receive the perfect wash whilst saving you precious time and around 11 litres in detergent per year.* The result, hassle-free laundry and perfectly clean clothes!



^{*}Oko-Institute, Germany, 2007

Tough on stains, gentle on your washing.

Removing tough stains without the need for specialist products or pre-washing.

Keeping your life uncluttered, our specially designed autoStain removal system (ASR) takes the effort out of cleaning tough stains. Simply load your clothes in the machine, choose a wash programme, select one of the 16 stain treatments and let ASR do the rest. This saves you time and removes the need for specialist products or pre-washing.



It happens to the best of us, a stain on your favourite dress or best shirt is part of life. However, we have a solution that is going to save you time and effort when it comes to removing stubborn stains, autoStain system (ASR available on models WMH4Y890GB, WMH6Y790GB and WMH4Y790GB. 4 stain options available on models WM16W590GB and WM14W590GB). So next time you need to remove last night's wine from your shirt sleeve or a lipstick smudge on your favourite dress, look no further than your Siemens washing machine.

Whether it is red wine or coffee, dirt or grass, blood or even cosmetics, our autoStain removal system (ASR), automatically optimises the wash settings to remove individual stains from your laundry.

The ASR system eradicates the need to pre-wash stained clothes and the use of special detergents, tackling up to 16 different types of stain. The ASR system tailors the wash according to the nature of the stain, creating the perfect balance between the mechanical drum action, water level, wash time and temperature.

Saving you time and money on buying specialist products, those unforeseen accidents need not ruin your clothes anymore.





Not built to meet expectations. But to exceed them. Models shown: WM4UH640GB washing machine and WT7UH640GB tumble dryer

Siemens avantgarde:

Discover our most premium laundry care range.

The new laundry care appliances that keep up with your lifestyle. Discover the cutting-edge appearance and enjoy laundry care appliances that are exactly as expressive and individual as you are. Siemens avantgarde adds a touch of brilliance to your home – even for everyday tasks like washing and drying laundry. Enjoy outstanding design and exceptional convenience thanks to the inclined ergonomic control panel, intuitive multiTouch LED display, and an overall outstanding appearance.



Get in touch with every feature: multiTouch LED display.

The multiTouch LED display allows you to operate every feature of the washing machine and dryer intuitively, without having to press any buttons. What's more, you can receive precise visual and acoustic feedback with different LEDs and sounds.



Drying without obstacles: selfCleaning condenser.

selfCleaning condenser prevents the dryer from becoming clogged with lint or fluff. The system cleans out the affected areas several times during the drying programme to keep the dryer's performance high and its energy consumption low.



Your personal washing and drying programme: myFavourite.

With the memory function myFavourite, you can start your favourite programme with one touch on the multiTouch LED display. myFavourite remembers your desired combination of programme and possible options so you don't have to set it up again for the next wash or drying cycle. Experience more.



Just add laundry: i-Dos.

Saving you time, the i-Dos system automatically determines the exact amount of liquid detergent needed for each of your laundry cycles, depending on the weight of the load and what programme is used - for perfectly clean laundry with minimal use of resources.



Do the laundry at your own speed: myTime.

Whether you're in a rush or have plenty of time, you can choose how long your washing or drying takes with myTime. Choose to run the programme from between 20 to 60 minutes, you decide. Now you can fit the laundry into your schedule without compromise.

Discover mor

Find out how all the innovative features work and get detailed information about avantgarde by visiting the website: **siemens-home.bsh-group.com/uk/avantgarde**

avantgarde Washing Machine



Experience stunning design with intelligent technology built in.



Introducing the avantgarde design line washing machine. This frontloading automatic washing machine features iSensoric technology, inclined multiTouch LED display, Home Connect and intelligent i-Dos automatic dosing system to offer exceptional laundry care with every wash.



Key features

- Home Connect manage your appliance from wherever you are
- · Maximum spin speed: 1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 71dB (A) re 1 pW
- 15 special programmes: mixed fabrics, textile guard re-proofing, automatic soft, duvet, drum clean with reminder, handwash/wool,
- Options: waterPlus, prewash, night wash, less ironing, extra rinse cycles, i-Dos 1, i-Dos 2, memory, soaking 10-20-30 min, speedPerfect, ecoPerfect, start/reload
- varioPerfect change certain washes depending on what is important to you; time or energy
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 84.5 x 59.8 x 62cm
- Available June 2017





Experience outstanding design, energy efficiency and exceptional drying convenience.



Take advantage of innovative features to effortlessly care for your laundry with avantgarde. This front-loading tumble dryer benefits from iSensoric technology, inclined multiTouch LED display, Home Connect and selfCleaning condenser with heat pump to maintain maximum energy efficiency for life.



Key features

- Home Connect manage your appliance from wherever you are
- Noise level: 62dB (A) re 1pW
- 14 special programmes: mixed fabrics, wool drying basket, outdoor, towels, blankets, pillows, timed programmme warm, cotton, easy-care, hygiene, lingerie, airing, rapid40, shirts
- Touch control buttons: low heat, buzzer, start/pause, drying level, fine-tuning for drying level, child lock 3 sec., less ironing 60 mins, less ironing 120 mins, 24 hours time delay
- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- Container for condensed water
- Child lock
- Dimensions (HxWxD): 84.2 x 59.7 x 64.4cm
- Available June 2017















Our machines take full advantage of the latest technology and innovation, designed to make laundry less of a chore.

Introducing ground-breaking innovation in laundry care; iSensoric technology

iSensoric technology is an innovation that gives your Siemens washing machine a unique ability: thinking. It stands for automatically measuring, detecting, calculating and controlling every step of the washing process, so you can get on with your day.



For complete peace of mind, all Siemens appliances come with a free 2 year warranty as standard. A free 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.



Our entire range boast A+++ for energy

Siemens washing machines are extremely energy efficient, using as little as 0.13kWh/kg, they are rated at the very top of the European Energy Efficiency Rating system. All Siemens washing machines automatically adapt the wash time and the energy consumption to the amount of laundry in the machine.



The iQdrive

Is the most economical, fastest, quietest and durable motor we have ever built, hence why it comes with a 10-year motor warranty and a 5-year parts and labour warranty. This specially designed motor at the heart of our machines is designed to last longer; meaning you'll never be without clean laundry, as well as being extremely quiet, meaning you can enjoy a conversation without having to compete with your washing machine.

The iQdrive together with our silent antiVibration design, the circular design on the side of machine, gives you a fast, efficient laundry service that does not take centre stage.

Textile Guard

Keeping clothes multi-functional. What used to require a trip to the dry cleaners can now be done quickly and easily at home with the help of your washing machine. Working with Nikwax, Textile Guard applies a waterproof treatment to breathable fabrics, prolonging the life of high-quality functional clothing like winter jackets, fleeces and ski suits. Simply add the Nikwax treatment to your detergent drawer and select the Textile Guard option.

rapid15

What can you do in an hour? Add the laundry to your list. Need a shirt cleaning an hour before you're due to leave the house? Don't panic! The rapid15 programme will save the day. Designed for those of us with hectic lives this wash cycle will clean your clothes when you are in a hurry. rapid15 washes, rinses and spins laundry in just 15 minutes. Combined with the speedy 40 minute drying programme of our tumble dryers, rapid40 will have your favourite shirt ready by the evening.

varioPerfect

Designed to work around your busy schedule. Giving you the choice, varioPerfect allows the setting of certain washes to be changed determined on what is most important to you, time or energy. Decreasing a washing machines cycle time by up to 65%*. speedPerfect is ideal for getting through your laundry quickly without compromising on quality or cleanliness, whereas ecoPerfect lengthens the time of a cycle by reducing the machines energy consumption by up to 50%**.

Reload Function

Ever forgotten to put an item of clothing in the wash? Have you ever started a wash only to realise you've left something out or included something you shouldn't have? The reload function is the perfect solution for when your laundry is on the wrong side of the drum door. Simply hit the button to pause the cycle, the door will then open at the next available opportunity and you can add or remove your extra washing. Dirty clothes will rarely be missed from the wash again.

Less Ironing

Helping to keep clothes crease free. Minimising your laundry tasks the Less Ironing option included on Siemens washing machines is going to free up your time. At the touch of a button Less Ironing can be added to your selected programme, ensuring the machine gently and evenly drains the water and reduces the spin speed, both helping to keep your clothes crease free, meaning a lot less ironing.

^{*}Cottons 40°C: Standard programme compared with speedPerfect option.

^{**}EU label standard cottons 60°C programme with

A Quick Feature Guide

Reference key:



Model does have this feature



Model does not have this feature

Home Laundry

Welcome to a range designed around you.

iQ 700

Exceptional design allied with seriously innovative technology is the basis of our premium models.



first-class features with top-class technology.



Good looking appliances with Siemens build quality and equipped with an attractive selection of smart

Key functionality - Washing Machines



Energy efficient class A+++ All Siemens washing machines automatically adapt the wash time and energy consumption to the amount of laundry in the machine.



Auto programme Whether normal or delicate items – the automatic programmes adjust the detergent dose and the entire wash cycle to the needs of your laundry to optimum effect. Fully automatic, including adding extra detergent if your washing is very dirty.



i-Dos Determines how much detergent is needed for each wash, based on the weight of the laundry and programme used.



sensoFresh programme Get rid of odours such as cigarette smoke or kitchen smells – the sensoFresh programme provides odour elimination in short time, even for sensitive and non-washable textiles. Active oxygen neutralises smells in just 30 to 45 minutes, depending on the intensity of the odour.



Wi-Fi ready With Wi-Fi enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



Capacity Capacity of laundry your machine can



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a guieter machine with an increased life span.



5 Year Warranty A free 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.

Washer Dryers



Energy efficient class A All Siemens washer dryers are rated A for energy efficiency.



Washing capacity The large washing capacity ensures you can wash clothes with fewer loads.



Drying capacity The drying capacity ensures you can dry clothes effectively.



airCondensation uses no additional water in the drying process, making it an extremely energy-efficient appliance. This translates into cheaper energy bills, saving resources.



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a quieter machine with an increased life span.



autoStain removal system The autoStain removal system is available on the WD15H520GB. With 6 stain options, the need to pre-wash stained clothes or use specialist detergent is eradicated.



varioPerfect The choice between speedPerfect and ecoPerfect; varioPerfect allows the setting of certain washes to be changed determined on what is most important to the user; time or energy.



2 Year Warranty For complete peace of mind, all Siemens appliances come with a free 2 year warranty as standard.

Tumble Dryers



Energy efficient class A++ All Siemens heat pump tumble dryers are at least rated A++ for energy efficiency.



Wi-Fi ready With Wi-Fi enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



Capacity Capacity of laundry your machine can hold (kg).



Drum interior light To give you optimum visibility when loading and unloading your laundry.



Heat pump Heat pump dryers are condensation dryers equipped with a special heat pump technology. In contrast to classic condensation dryers, here energy in the form of heat is not discharged into the environment; instead it is retained for the drying process.



iQdrive The frictionless design of the iQdrive motor means no wear and tear, resulting in a quieter machine with an increased life span.



selfCleaning condenser The automatic, selfCleaning condenser system uses water generated during the drying cycle to clean the heat exchanger three to four times during every cycle, meaning the consumer doesn't



5 Year Warranty A free 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.



Exuding class and refinement, these machines unite





Other product features

Having antiVibration technology built-in to the design of the machine makes the appliance more stable, which in turn makes it quieter.

autoLoad Plus

Ensures that the correct amount of detergent is used depending on the weight of washing and the maximum weight allowance for certain

Consumption value indicator

See which programmes use less energy and water with the consumption value indicator.

Drum clean

An automatic alert after 20 washes to run the Drum Clean programme on a 90°C or 60°C wash keeps the appliance clean and odour free.

To give you optimum visibility when loading and unloading your laundry.

Foam detection system

Detects if too much foam has been created during a wash, if so, it will adjust the drum movement and add an extra rinse cycle if necessary.

Ensures you never have to deal with the inconvenience of a leaking connection. Protects against water damage.

Less Ironing option

At the touch of a button 'Less Ironing' can be added to a selected programme, ensuring the machine gently and evenly drains the water and reduces the spin speed, helping to keep clothes crease free.

Rinses, washes and spins lightly soiled clothing in just 15 minutes, designed for those with hectic lives this wash cycle will clean clothes when you're in a hurry.

Leaving clothes ready to iron in only 40 minutes thanks to the optimised temperature control and customised cool-down phase of the rapid40 programme.

The reload function allows the machine to be paused and the door opened at the next safe opportunity. It's the perfect solution when an extra item needs to be added to the load.

Working with Nikwax, this programme applies a waterproof treatment to breathable fabrics, prolonging the life of high-quality functional clothing like winter jackets, fleeces and ski suits.



Experience exceptional quality and intelligent innovation with our stylish iQ700 i-Dos washing machine.



Our premium iQ700 washing machine features iSensoric technology that takes care of your laundry for you: the intelligent i-Dos dosing system and autoStain removal work together with the guiet iQdrive motor to ensure your clothes receive the perfect wash every time.



Key features

- Maximum spin speed: 1400rpm
- Noise level washing: 47dB (A) re 1pW • Noise level spinning: 71dB (A) re 1pW
- 15 programmes: single rinse, easy care dark, curtains, textile guard re-proofing, shirts/blouses, mixed fabrics, automatic, automatic soft, automatic intensive, hygiene
- rapid15 minute quick wash, drum clean with reminder, handwash/wool, delicates • Options: waterPlus, prewash, night wash, less ironing extra rinse cycles, rinse hold
- autoStain removal system with 16 stain options
- varioPerfect change certain washes depending on what is important to you; time or energy
- clearText TFT Display
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm













Washing Machines

WMH6Y790GB White 1600rpm spin speed WMH4Y790GB White 1400rpm spin speed



















WM16W590GB White 1600rpm spin speed

WM14W590GB White 1400rpm spin speed











- Maximum spin speed: 1600rpm/1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 73dB (A) re 1pW (WMH6Y790GB), 71dB (A) re 1pW (WMH4Y790GB)
- 15 programmes: down, easy care dark, curtains, textile guard re-proofing, shirts/blouses, mixed fabrics, automatic, automatic soft, hygiene, rapid15 minute quick wash, drum clean with reminder, handwash/wool, delicates
- Options: waterPlus, prewash, night wash, less ironing, extra rinse cycles, rinse hold
- autoStain removal system with 16 stain options
- varioPerfect change certain washes depending on what is important to you; time or energy
- clearText TFT Display
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

Key features

- Maximum spin speed: 1600rpm/1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 73dB (A) re 1pW (WM16W590GB), 71dB (A) re 1pW (WM14W590GB)
- 15 programmes: easy care plus, curtains, textile guard re-proofing, shirts/blouses, rapid15 minute quick wash, mixed fabrics, hygiene, drum clean with reminder, handwash/wool, delicates/silk programme
- Touch control buttons: prewash, extra rinse, less ironing, spin speed selection,
- temperature selection, start/reload, speedPerfect, ecoPerfect, stain selection
- autoStain removal system removing the 4 most stubborn stains
- varioPerfect change certain washes depending on what is important to you; time or energy
- clearText TFT Display
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

WM14W750GB White 1400rpm spin speed



















WM14N200GB White 1400rpm spin speed


















- Maximum spin speed: 1400rpm
- Noise level washing: 47dB (A) re 1pW
- Noise level spinning: 71dB (A) re 1pW • sensoFresh – effective odour removal
- 15 programmes: easy care dark, textile guard re-proofing, shirts/blouses, rapid15 minute quick wash, mixed fabrics, handwash/wool, delicates/silk programme
- Touch control buttons: start/reload, prewash, extra rinse, less ironing, spin speed selection, temperature selection, speedPerfect, ecoPerfect
- varioPerfect change certain washes depending on what is important to you;
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

Key features



Key features

- Maximum spin speed: 1400rpm/1200rpm
- Noise level washing: 55dB (A) re 1pW
- Noise level spinning: 76dB (A) re 1pW
- 15 programmes: power wash 60, easy care dark, shirts/blouses, textile guard re-proofing, mixed fabrics, hygiene, rapid15 minute quick wash, duvet, drum clean with reminder, rinse/spin/drain, handwash/wool, delicates
- Touch control buttons: less ironing, time delay, temperature selection, start/reload, speedPerfect/ecoPerfect, water & rinse plus, spin speed selection
- varioPerfect change certain washes depending on what is important to you;
- Time delay 24 hours and time remaining indicator
- Dimensions (HxWxD): 84.8 x 59.8 x 55cm





Siemens innovation for complete laundry care.

Sensor drying

All Siemens tumble dryers feature sensor drying, which provides uniform drying results, and makes over-drying a thing of the past. Sensors in the drum continually monitor the residual moisture in the laundry. They detect when the load has reached the selected drying level, and move the programme to the final cool-down period.

So your laundry is afforded the utmost protection, while neither energy nor your time is wasted.

The rapid40 drying programme

Washing laundered with the rapid15 wash programme is perfectly dry in only 40 minutes, thanks to optimised temperature control and a customised cool-down phase.

A lot less ironing

The Less Ironing option extends the anti-crease phase period at the end of the cycle to up to 120 minutes. The gentle tumbling motion of the softDry drum system leads to fewer creases in your laundry – so you can spend less time ironing.

Dry washing, dry room

88% of the humidity generated by the drying is kept within our dryers. Other dryers on the market aren't anywhere near as good at this, and so produce far higher air humidity in the room.



Heat Pump

High-performance and highly-efficient – let yourself be fascinated by the state-of-the-art technology of Siemens heat pump dryers. Heat pump dryers are condensation dryers equipped with a special heat pump technology. In contrast to classic condensation dryers, here energy in the form of heat is not discharged into the environment; instead it is retained for the drying process. This is how Siemens heat pump dryers achieve impressive energy values and consume significantly less energy than condensation dryers.

selfCleaning condenser

The absolute highlight of the heat pump dryers is the automatic self-cleaning of the condenser. It is integrated into many Siemens appliances and cleans the condenser automatically – sensor-controlled and intensively during each drying cycle. The result is a continually lint-free condenser that keeps energy consumption constantly low at all times.

Siemens heat pump dryers can also be set up – like all condensation dryers – flexibly anywhere since the condensed water is collected in a separate container integrated into the appliance.

softDry drum system

The softDry drum system, the first of its kind in the world, ensures a stable drying temperature and constant airstream in the drum. The soft, wave-like paddles stir the warm air and distribute the laundry gently and efficiently. The drum surface improves airflow so the laundry glides over the drum as if floating on a cushion of air, reducing mechanical wear and tear on your fabric.

When space is an issue – stack.

When you're short on space, a Siemens stacking kit provides the answer. It's an ergonomic solution too, because the tumble dryer is mounted at a convenient height for loading and unloading. Choose either the basic kit, or the version that includes a pull-out shelf for putting the laundry on.




Tumble dryers that maintain energy efficiency for life.





A maintenance free machine you can count on for years to come. Unlike other dryers, our tumble dryers (WT4HY790GB, WT47W590GB, WT45M230GB) are built with an automatic selfCleaning condenser system, that uses water, collected during the drying cycle, to clean the heat exchanger three to four times during every cycle. Meaning you no longer have to remove and rinse the component after every cycle, as the machine does it for you.

If the heat exchanger is not cleaned regularly to remove this build-up, a machine's energy consumption rate quickly rises and its energy rating can drop from A to B, C and lower. By automatically selfCleaning several times during a cycle our Siemens condenser dryer maintains its A++ energy rating for life. With the selfCleaning condenser system you get a maintenance free machine that maintains peak efficiency and lower energy bills.











WT45N200GB

WT45M230GB

• Noise level: 64dB (A) re 1pW

iQ 300

- 15 special programmes: cottons, easy-care, woollens finish, rapid40, outdoor, timed programme warm, timed programme cold, mixed fabrics, shirts, lingerie, towels
- Options: start/pause, low heat, less ironing, fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and revolution drying system Container for condensed water
- Child lock

Key features

- Dimensions (HxWxD): 84.2 x 59.8 x 59.9cm Available April 2017

iQ 300



Our Wi-Fi enabled 700 tumble dryer conveys an elegant impression of absolute quality and intelligent innovation.



iSensoric heat-pump dryer with Home Connect: selfCleaning condenser and easy use from wherever you are via the Home Connect App.



WT4HY790GB White

Key features

- Home Connect manage your appliances from wherever you are
- 14 special programmes: cottons, easy-care, wool drying in basket, rapid40, outdoor, hygiene, mixed fabrics, shirts and blouses, lingerie, towels, down wear, blankets, timed programme warm, timed programme cold
- Options: start/pause, memory 1, memory 2, remote start, less ironing, low heat, options, drying level, 24 hours time delay and time remaining indicator
- Wool/shoe drying basket · Container for condensed water
- Dimensions (HxWxD): 84.2 x 59.8 x 63.4cm















• Dimensions (HxWxD): 84.2 x 59.8 x 65.2cm

Tumble Dryers

iQ 500

Key features

• Wool drying basket

Child lock

• Noise level: 64dB(A) re 1pW

shirts, lingerie, towels, blankets

• Container for condensed water

WT47W590GB

• 14 special programmes: cottons, easy-care, wool drying in basket, rapid40, outdoor,

• Options: start/pause, buzzer, low heat, less ironing 60 mins, less ironing 120 mins,

drying level, fine-tuning for drying level, 24 hours time delay and time remaining

down wear, hygiene, timed programme warm, timed programme cold, mixed fabrics,

• Sensitive drying: large softDry stainless steel drum system and revolution drying system






















Key features

- Noise level: 65dB (A) re 1pW
- 15 special programmes: cottons, easy-care, woollens finish, rapid40 outdoor, hygiene, timed programme warm, timed programme cold, mixed fabrics, shirts
- Options: start/pause, buzzer, low heat, less ironing, programme length, fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- Standard condense
- Container for condensed water
- Dimensions (HxWxD): 84.2 x 59.8 x 65.2cm

Key features

- Noise level: 65dB (A) re 1pW
- 15 special programmes: cottons, easy-care, woollens finish, rapid40, outdoor, timed programme warm, timed programme cold, mixed fabrics, shirts, lingerie,
- Options: start/pause, low heat, less ironing, programme length, fine-tuning for drying level, 24 hours time delay and time remaining indicator
- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- easyClean filter
- Container for condensed water
- Dimensions (HxWxD): 84.8 x 59.8 x 63.6cm

Washer dryers Laundry care with one appliance. It couldn't be more convenient: Siemens washer dryers are the ideal all-rounders for your laundry care. They combine the innovative functions of modern washing machines and dryers in one appliance to save effort, space and time. At the touch of a button, with their large display and clear operation, you can conveniently control the variety of cycles from both worlds: washing and drying. Model shown: WD15H520GB washer dryer



Being kinder to the environment with every wash, our energy-efficient appliances use no additional water during the drying process.

What does this mean for you? Cheaper utility bills.



With state-of-the-art technology built into our appliances Siemens have some of the most energy efficient washer dryers on the market. The airCondensation systems in our washer dryers uses no of 7 pairs of trousers or 18 shirts, carefully and extra water during the drying process, making it an extremely resource efficient appliance. Using as little as 4.76 kWh of energy and the minimum water to wash and dry a full load of laundry the appliance earns nothing could be easier, more convenient, whilst also itself an ultra-efficient rating of A. Working quietly, automatically and saving you money on utility bills.

From dirty to perfectly clean and dry, effortlessly the WD15H520GB can wash and dry up to 4kg of laundry non-stop in a single operation. That's the equivalent perfectly washed and dried. Load your wash into the drum, switch on the washer dryer and relax. When it's done remove the clean or cupboard-dry laundry – saving you space in your kitchen.

Washer Dryers



WD15H520GB White 1500rpm spin speed

















WD15G421GB White 1500rpm spin speed











Key features

- Maximum spin speed: 1500rpm
- Noise level washing: 46dB (A) re 1pW
- Noise level spinning: 74dB (A) re 1pW
- 15 special programmes: mixed fabrics, textile guard re-proofing, rapid15 minute quick wash, wash & dry 60, fluff clean, refresh, hygiene care, handwash/wool, delicates
- Options: start/reload, time delay, spin speed selection, temperature selection, menu, change, drying time selection
- waterPerfect Plus: water management system
- autoDrv
- 24 hours time delay and time remaining indicator
- Drum interior light
- LCD display
- Dimensions (HxWxD): 84.8 x 59.8 x 59cm

Key features

- Maximum spin speed: 1500rpm
- Noise level washing : 52dB (A) re 1pW
- Noise level spinning:74dB (A) re 1 pW
- 15 special programmes: mixed fabrics, textile guard re-proofing, shirts/ blouses, rapid15 minute quick wash, wash & dry 60, fluff clean, hygiene care, handwash/wool, delicates
- Touch control buttons: start/reload, extra rinse, time delay, spin speed selection, temperature selection, drying time selection, speedPerfect/
- autoDry
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 85 x 60 x 59cm



















Key features

- Maximum spin speed: 1400rpm
- Noise level washing: 48dB (A) re 1pW
- Noise level spinning: 74dB (A) re 1pW
- 15 special programmes: wash & dry 60, mixed fabrics, textile guard re-proofing, rapid15 minutes quick wash, handwash/wool, delicates
- Touch control buttons: temperature selection, time delay, drying time selection, spin speed selection, menu, change
- waterPerfect Plus: water management system
- 24 hours time delay and time remaining indicator
- Dimensions (HxWxD): 84.2 x 59.8 x 59cm

Freestanding Washing Machine Specifications

WASHINGTON WAS	APPLIANCE TYPE			MACHINES	
March Marc	Design family Model number	avantgarde WM411H640GR	iQ700 WMH4Y890GR	iQ700 WMH6Y790GR	iQ 700 WMH4Y790GR
a fine encomment of the character of the company of the character of the	ERFORMANCE	WWHOTIOHOUB	WWITHTOOOD	WWW.IOT7 JOGB	WWITHTTOOD
The content of the desched value of P1990NP p.	nergy efficiency class				
The content of the					
subsystems (a)					
1400 1400					
Soldier Content for only one after rans, spin Soldier Content for only one after rans, spin Soldier Content for performance and spin Soldier Conte					
A A A A A A A A A A A A A A A A A A A					
## of the proper processors \$ \$ \$ \$ \$ \$ \$ \$ \$					
### 1922 152 1					
Treaty contemporal PCC contemporarem - partie load (1974) 1. 0.23 1. 0.42					
Treely occumination 60°C colonia processing and affirm of the consumption affirm of the colonia processing of the colonia	Energy consumption 40°C cotton programme – partial load (kWh)	0.33	0.42	0.42	0.42
11720 1172	Energy consumption 60°C cotton programme – full load (kWh)				
1.00					
reage working there control GVC — Link lasts (mm)					
### ### ### ### ### ### ### ### ### ##					
m Solare (Bish)					
A					
See New Springling (IS New 1975) 71 73 73 71 73 71 73 73					
DEGRAMMERY FLANCHORS					
Indeptor programmes		7.1	7 1	73	7.1
	ottons				
Indees Sisk	isy-care / Wool				
### ### ### ### ### ### ### ### #### ####	elicates / Silk				
	nse / Spin				
	npty	•			
	pecialist Programmes				
	utomatic programmes				
	Dos 1 and i-Dos 2				
International Control	utoStain removal system (ASR)				
y care daft/ Daft wash					
Trains					
March Marc					
gelie					
	ngerie				
	ygiene				
	uvet / Down	II / -	-1-	-/■	- / ■
	rum clean				
### ### ### ### ### ### ### ### ### ##	hirts			=	
	ptions				
Image: Pervash Imag					
Image: Comparature Image:					
Table spin					
In speed reduction					
YEARURS					
	EY FEATURES		_		
Interest	ome Connect				-
	Dos intelligent dosing system			-	-
Invarion design	rioPerfect				
	drive				
DOSIDIONAL FEATURES			_	_	
DOTIONAL FEATURES	aterPerfect Plus	-			
arText TFT Display				=	
		_			
dial with integrated onloff control -	uch LED display				
	g dial with integrated on/off control				
24 hours	otiWave drum / wave drum				
Indication Ind	me delay				
Coload autoLoad Plus	me remaining				
Description	droSensor				
Image: Comparison of the product: Hx Wx D (cm) Mx S 59.8 x 59 Mx S 59.8 x 59.8 x 59 Mx S 59.8 x 59	itoLoad / autoLoad Plus				
Indicate					
F-cleaning detergent drawer					
hydroSafe hydr					
CHNICAL INFORMATION nensions of the product: H x W x D (cm) 84.8 x 59.8 x 62 84.8 x 59.8 x 59 85.00 85.00 85.00 85.00 85.00 85.00 85.00 85.00 85.00 85.00 85.00 108.0 109.0 120.0					
Rensions of the product: H x W x D (cm)		пушозате	riyurosare	пушозате	riyurosare
light for building under (cm) 85.00 85.00 85.00 pth with door open 90° (cm) 114.2 108.0 108.0 108.0 gight-adjustable by (cm) 1.20 1.20 1.20 1.20 pl depth incl. wall distance (cm) 62 59 59 59 ngth electrical supply cord (cm) 210.0 210.0 210.0 210.0 ngth of drain hose (cm) 120.0 150.0 150.0 150.0 play TOLEDO LED Touch TFT TFT TFT pinet colour White White White White or colour Black/chrome White/chrome White/chrome White/chrome N code 4242003787090 4242003750711 4242003750681 4242003750698 PTIONAL ACCESSORIES - WX975600 WX975600 WX975600		84.8 x 59 8 x 62	84 8 x 59 8 v 59	84.8 x 59 8 x 59	84 8 x 59 8 v 59
orth with door open 90° (cm) 114.2 108.0 108.0 108.0 ight-adjustable by (cm) 1.20 1.20 1.20 1.20 pl depth incl. wall distance (cm) 62 59 59 59 ight electrical supply cord (cm) 210.0 210.0 210.0 210.0 ight of drain hose (cm) 120.0 150.0 150.0 150.0 play TOLEDO LED Touch TFT TFT TFT oinet colour White White White White or colour Black/chrome White/chrome White/chrome White/chrome N code 4242003787090 4242003750711 4242003750681 4242003750698 TOTIONAL ACCESSORIES - WX975600 WX975600 WX975600					
Section Sect					
September Sept	ight-adjustable by (cm)				
right electrical supply cord (cm) 210.0 210.0 210.0 210.0 210.0 210.0 150.0	opl depth incl. wall distance (cm)				
right of drain hose (cm) 120.0 150.0 150.0 150.0 play TOLEDO LED Touch TFT TFT TFT TFT TFT White White White White White White White White White/chrome White/chrome White/chrome White/chrome White/chrome White/chrome Waspanda 4242003750681 4242003750698 4242003750688 Waspanda Wasp	ngth electrical supply cord (cm)				
Polay TOLEDO LED Touch TFT TFT TFT	ngth of drain hose (cm)				
Spinet colour White White White White White White White White Or Colour Black/chrome White/chrome White/chrome White/chrome White/chrome White/chrome Wasynows 4242003750711 4242003750681 4242003750698 4242003750698 Wasynows	splay				
N code 4242003787090 4242003750711 4242003750681 4242003750698 PTIONAL ACCESSORIES or fixing kit – WX975600 WX975600 WX975600	binet colour	White			
PTIONAL ACCESSORIES WX975600 WX975600 WX975600	or colour				
or fixing kit – WX975600 WX975600 WX975600	N code	4242003787090	4242003750711	4242003750681	4242003750698
			W0/075 500	140/075 500	140,0000000
ension to water iniet WZ10130 WZ10130 WZ10130 WZ10130 WZ10130					
	tension to water inlet	WZIUI3U	WZ10130	WZ10130	WZ10130

[■] Yes, model has this feature. — Feature not available for this model.

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.

APPLIANCE TYPE	A+++ 8.0 1400 53 A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	WASHING MACHINES 10500 WM14W750GB A+++ 9.0 1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 65 47 71	MM14N200GB A+++ 8.0 1400 53 A B 176 0.56 0.95 0.79 9900 200 200 200 200 55 55	**************************************
Energy enormal than the standard value of 196kWh p.a. 10% more economical than the standard value of 196kWh p.a. 10% more economical than the standard value of 196kWh p.a. 10% more economical than the standard value of 196kWh p.a. 100% more economical than the standard value of 196kWh p.a. 100% more economical than the standard value of 196kWh p.a. 100% more economical than the standard value of 196kWh p.a. 100% more economical than the standard value of 196kWh p.a. 100% more economical than the standard value of 196kWh p.a. 100% maximum spin speed (rpm) 1000 Energy consumption annual (kWh) 1000 Energy consumption annual (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consumption 40°C cotton programme – partial load (kWh) 1000 Energy consump	A+++ 8.0 1400 53 A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	A+++ 9.0 1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 655 47	A+++ 8.0 1400 53 A B 176 0.56 0.95 0.79 9900 200 200 200 55 55	A+++ 8.0 1200 53 A B 176 0.56 0.95 0.79 9900 200 200 200 55
A+++ O% more economical than the standard value of 196kWh p.a.		- 9.0 1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 65	8.0 1400 53 A B 176 0.56 0.95 0.79 9900 200 200 200 555 55	
0% more economical than the standard value of 196kWh p.a. □% more economical than the standard value of 196kWh p.a. □ 00% more economical than the standard value of 196kWh p.a. □ apacity cotton (kg) laximum spin speed (rpm) losisture content % on dry load after max. spin / Alashing performance class pin drying performance class pin drying performance class pin drying performance class A neregy consumption annual (kWh) L'Energy consumption 60°C cotton programme – partial load (kWh) L'Energy consumption 60°C cotton programme – partial load (kWh) L'Energy consumption 60°C cotton programme – partial load (kWh) L'Energy consumption 60°C cotton programme – partial load (kWh) L'Energy consumption 60°C - partial load (min) verage washing time cotton 40°C – partial load (min) verage washing time cotton 60°C – full load (min) verage washing time cotton 60°C – partial load (min) verage washing time cotton 60°C – partial load (min) 210 verage washing (B [A] re 1 pW) 73 **ROGRAMMES / FUNCTIONS** tandard Programmes ottons 32y-care / Wool **Lineary / my/mime - / - apid15 / rapid60 -		- 9.0 1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 65	8.0 1400 53 A B 176 0.56 0.95 0.79 9900 200 200 200 555 55	
0% more economical than the standard value of 196kWh p.a. □ 00% more economical than the standard value of 196kWh p.a. □ 20 apacity cotton (kg) □ 20 laximum spin speed (rpm) □ 1600 □ 21 losture content % on dry load after max. spin □ 24 4 loashing performance class □ 25 A pin drying performance class □ 26 A pin drying performance class □ 27 A Pin drying performance class □ 28 A Pin drying performance class □ 29 A Pin drying performance class □ 29 A Pin drying performance class □ 20 A Pin drying performance class □ 30 A Pin drying performance class □ 31 A Pin drying performance class □ 4 A Pin drying performance class □ 5 A Pin drying performance class □ 6 A Pin drying performance class □ 7 A Pin drying performance class □ 8 A Pin drying performance perficie performance perficie performance perficie performance perficie performance performanc	8.0 1400 53 A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	- 9.0 1400 53 A B 152 0,42 0,92 0.60 11220 270 280 270 65 47		- 8.0 1200 53 A B 176 0.56 0.95 0.79 9900 200 200 200 200 55
Sepacity cotton (kg)	8.0 1400 53 A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	9.0 1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 65	8.0 1400 53 A B 176 0.56 0.95 0.79 9900 200 200 200 55	8.0 1200 53 A B 176 0.56 0.95 0.79 9900 200 200 200 55
aximum spin speed (rpm) loisture content % on dry load after max. spin 44 43 45 46 46 47 48 48 48 48 48 48 48 48 48	1400 53 A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	1400 53 A B 152 0.42 0.92 0.60 11220 270 280 270 65 47	1400 53 A B 176 0.556 0.95 0.79 9900 200 200 200 55 55	1200 53 A B 176 0.56 0.95 0.79 9900 200 200 200 200 55
oisture content % on dry load after max. spin ashing performance class A ashing performance class A A nergy consumption annual (kWh) Energy consumption annual (kWh) Energy consumption 40°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption annual (l/annum) 9900 verage washing time cotton 40°C – partial load (min) verage washing time cotton 60°C – partial load (min) verage washing time cotton 60°C – partial load (min) 210 verage washing (dB [A] re 1 pW) 65 oise level washing (dB [A] re 1 pW) 73 ROGRAMMES / FUNCTIONS andard Programmes ottons andard Programmes ottons buttons andard Programmes outomatic programmes utomatic programmes utomatic programmes utomatic programmes outof Silk	53 A B B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	53 A B B 152 0,42 0,92 0,60 11220 270 280 270 65 47	53 A B 176 0.56 0.95 0.79 9900 200 200 200 55 55	53 A B 176 0.56 0.95 0.79 9900 200 200 200 55
Ashing performance class ain drying performance class and drying performance class A A nergy consumption annual (kWh) 137 Energy consumption 40°C cotton programme – partial load (kWh) 2.74 Energy consumption 60°C cotton programme – full load (kWh) 2.75 Energy consumption 60°C cotton programme – partial load (kWh) 2.76 Energy consumption 60°C cotton programme – partial load (kWh) 2.70 Energy consumption annual (l/annum) 3.70 Energy consumption 60°C cotton programme – partial load (kWh) 2.70 Energy consumption 60°C cotton programme – partial load (kWh) 2.70 Energy consumption annual (l/annum) 3.71 Energy consumption 60°C – partial load (min) 2.71 Energy consumption annual (l/annum) 3.72 Energy consumption annual (l/annum) 3.73 Energy consumption annual (l/annum) 3.74 Energy consumption annual (l/annum) 3.75 Energy consumption annual (l/annum) 3.76 Energy consumption annual (l/annum) 3.77 Energy consumption annual (l/annum) 3.78 Energy consumption annual (l/annum) 3.79	A B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	A B 152 0.42 0.92 0.60 11220 270 280 270 65 47	A B 176 0.56 0.95 0.79 9900 200 200 200 555 55	A B 176 0.56 0.95 0.79 9900 200 200 200 55
A hergy consumption annual (kWh) 137 Energy consumption annual (kWh) Energy consumption 40°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – full load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption annual (liannum) 9900 verage washing time cotton 40°C – partial load (min) 9910 verage washing time cotton 60°C – full load (min) 9110 verage washing time cotton 60°C – partial load (min) 9120 verage washing time cotton 60°C – partial load (min) 9210 verage washing (dB [A] re 1 pW) 9210 verage washing (dB [A] re 1 pW) 9220 verage washing (dB [A] re 1 pW) 9230 verage washing (dB [A] re 1 pW) 9247 9250 verage	B 137 0.35 0.74 0.70 9900 210 210 210 65 47 71	B 152 0.42 0.92 0.60 11220 270 280 270 65 47	B 176 0.56 0.95 0.79 9900 200 200 200 55	B 176 0.56 0.95 0.79 9900 200 200 200 55
nergy consumption annual (kWh) Energy consumption 40°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption annual (l/annum) 9900 verage washing time cotton 40°C – partial load (min) 210 verage washing time cotton 60°C – full load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing (dB [A] re 1 pW) 65 oise level washing (dB [A] re 1 pW) 73 ROGRAMMES/ FUNCTIONS verage washing time cotton 60°C – partial load (min) 210 210 210 210 210 210 210 21	137 0.35 0.74 0.70 9900 210 210 210 65 47	152 0,42 0,92 0,60 11220 270 280 270 65 47	176 0.56 0.95 0.79 9900 200 200 200 55 55	176 0.56 0.95 0.79 9900 200 200 200 55
Energy consumption 40°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – full load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption 60°C cotton programme – partial load (kWh) Energy consumption annual (l/annum) 9900 verage washing time cotton 40°C – partial load (min) verage washing time cotton 60°C – full load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing time (Ela Per 1 pW) 65 50 50s le level washing (dB [A] re 1 pW) 73 ROGRAMMES / FUNCTIONS andard Programmes bettons 81 82 83 84 85 85 86 87 88 88 89 80 80 81 81 81 81 81 81 81 81	0.74 0.70 9900 210 210 210 65 47 71	0.92 0.60 11220 270 280 270 65 47	0.95 0.79 9900 200 200 200 55 55	0.95 0.79 9900 200 200 200 55
Energy consumption 60°C cotton programme – partial load (kWh) atter consumption annual (l/annum) gerage washing time cotton 40°C – partial load (min) verage washing time cotton 60°C – full load (min) verage washing time cotton 60°C – partial load (min) verage washing time cotton 60°C – partial load (min) 210 210 210 210 210 210 210 21	0.70 9900 210 210 210 210 65 47 71	0.60 11220 270 280 270 65 47	0.79 9900 200 200 200 200 55 55	0.79 9900 200 200 200 200 55
atter consumption annual (l/annum) perage washing time cotton 40°C – partial load (min) perage washing time cotton 60°C – full load (min) perage washing time cotton 60°C – partial load (min) perage washing time cotton 60°C – partial load (min) perage washing time cotton 60°C – partial load (min) perage washing time cotton 60°C – partial load (min) perage washing (dB [A] re 1 pW) poise level spinning (dB [A] re 1 pW) poise level spinni	9900 210 210 210 65 47 71	11220 270 280 270 65 47	9900 200 200 200 200 55 55	9900 200 200 200 200 55
verage washing time cotton 40°C – partial load (min) 210 verage washing time cotton 60°C – full load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing time cotton 60°C – partial load (min) 210 verage washing (dB [A] re 1 pW) 47 verage washing (dB [A] re 1 pW) 73 ROGRAMMES/FUNCTIONS andard Programmes vittons 8 8 8 8 8 8 8 8 8 8 8 8 8	210 210 210 65 47 71	270 280 270 65 47	200 200 200 200 55 55	200 200 200 55
Verage washing time cotton 60°C - full load (min)	210 210 65 47 71	280 270 65 47	200 200 55 55	200 200 55
Verage washing time cotton 60°C - partial load (min) 210	210 65 47 71	270 65 47	200 55 55	200 55
rum volume (litres) 65 sise level washing (dB [A] re 1 pW) 47 sise level washing (dB [A] re 1 pW) 73 ROGRAMMES / FUNCTIONS andard Programmes stotons sy-care / Wool	65 47 71	65 47	55 55	55
A	47 71	47	55	
Associated Ass		71		55
andard Programmes Ittons Sy-care / Wool Silicates / Silk Silicates / Spin Inpty ecialist Programmes tomatic programmes tos 1 and i-Dos 2 tos 1 and i-Dos 2 tos 1 and i-Dos 2 tostain removal system (ASR) Emory / myTime Inputy in the input in	= / =		76	76
ttons sy-care / Wool	= / =			
Sy-care / Wool	= / =			
Image: Section Imag		I / I	# / #	
Internation		1	1	
cecialist Programmes tomatic programmes 5 1 and i-Dos 2		-/-		-/-
tomatic programmes os 1 and i-Dos 2 os 1 and i-Dos 2 - totstain removal system (ASR) emory / myTime			_	
toStain removal system (ASR) mory / myTime	-	-	-	-
Pemory / myTime		-	-	-
-		_	-	-
asoFresh - title guard / Outdoor wear sy care dark / Dark wash trains sed fabrics gerie gerie - giene vet / Down - / - un clean rts titons OPErfect In SedPerfect In Sironing In arr arinse / Prewash iable temperature iriable spin n speed reduction - curtiling are rinse / Prewash iable temperature in speed reduction	-/-	-/-	-1-	-1-
ttile guard / Outdoor wear y care dark / Dark wash rtains ked fabrics gerie gerie geriegiene vet / Down/- mr clean rts tions Perfect stors Stroning ra rinse / Prewash riable temperature riable spin n speed reduction	■ / - -	■ /-		
sy care dark / Dark wash rtains Red fabrics gerie gene gene gene gene gene gene gene ge	_			
rtains xed fabrics gerie geri	_			
gerie			_	-
Gree				
wet / Down		-	_	-
um clean				
irts	-1-	-1-	■ / –	■ / –
obtions Operfect Defect See I Perfect So I I Perwash Triable temperature In speed reduction		-	-	
oPerfect eadPerfect sol Indiana Indian		-	_	
eedPerfect ss Ironing strainse Prewash riable temperature riable spin in speed reduction				
tra rinse Prewash riable temperature riable spin in speed reduction				
riable temperature riable spin in speed reduction				
riable spin IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	= /=	= / =	■ / –	■1-
in speed reduction			-	
	-	-	-	
		_		
me Connect –	-	_	-	-
os intelligent dosing system –	-	-	-	-
ioPerfect				
lrive	-		-	
iVibration design				
nsumption indicator EterPerfect Plus	-			-
oStain removal system	-		_	
DITIONAL FEATURES				
arText TFT Display –	-	_	-	-
ich LED display LED	LED	LED	LED	LED
dial with integrated on/off control			-	-
iWave drum / wave drum/ =	_ / ■	-1	-1-	-1-
ne delay 24 hours	24 hours	24 hours	24 hours	24 hours
le remaining IroSensor				
iroSensor ■ oLoad / autoLoad Plus ■ / –	■	■ /-	_ 	-1-
pad facility	= / -	- /-		
m interior light			_	_
ld lock				
-cleaning detergent drawer				
er protection system Multiple water pro	tection Multiple water protection	Multiple water protection	Multiple water protection	Multiple water protecti
CHNICAL INFORMATION tensions of the product: H x W x D (cm) 84.8 x 59.8 x	59 84.8 x 59.8 x 59	84.8 x 59.8 x 59	84.8 x 59.8 x 59	84.8 x 59.8 x 59
ght for building under (cm) 84.8 x 59.8 x 85.00	85.00	84.8 X 59.8 X 59 85.00	84.8 X 59.8 X 59 85.00	84.8 X 59.8 X 59 85.00
oth with door open 90° (cm) 85.00		106.00	101.70	101.70
ght-adjustable by (cm) 1.20	106.00	1.20	1.20	1.20
ol depth incl. wall distance (cm) 59	106.00 1.20	59	55	55
gth electrical supply cord (cm) 170.0		170.0	210.0	210.0
gth of drain hose (cm) 150.0	1.20 59 170.0	150.0	150.0	150.0
play LED	1.20 59 170.0 150.0	1.00	LED	LED
oinet colour White	1.20 59 170.0 150.0 LED	LED	White	White
or colour White/chrom N code 42420037172	1.20 59 170.0 150.0 LED White	White	White/Alu look	White/Alu look 4242003754412
TIONAL ACCESSORIES 42420037172	1.20 59 170.0 150.0 LED White e White/chrome	White White/chrome		
or fixing kit WX975600	1.20 59 170.0 150.0 LED White e White/chrome	White	4242003754429	12 120037 37712
tension to water inlet WZ10130	1.20 59 170.0 150.0 LED White e White/chrome 40 4242003681237	White White/chrome		WX975600

■ Yes, model has this feature. — Feature not available for this model.

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.

Freestanding Tumble Dryer Specifications

APPLIANCE TYPE	ave at a seed -	- O 700		DRYERS	-iolana	-:O 200
Design family	avantgarde	iQ 700	iQ 500	iQ 300	iQ300	iQ 300
Model number	WT7UH640GB	WT4HY790GB	WT47W590GB	WT45M230GB	WT45H200GB	WT45N200GB
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A+++	A++	A++	A++	A++	В
Capacity cotton (kg)	8.0	9.0	8.0	8.0	8.0	8.0
Energy consumption annual (kWh)	176	258	233	224	236	560
Energy consumption standard cotton programme – full load (kWh)	1.46	2.13	1.93	1.80	1.90	4.63
Energy consumption standard cotton programme – half load (kWh)	0.82	1.21	1.08	1.07	1.1	2.6
Programme time standard cotton programme – full load (min)	148	157	138	203	203	137
Programme time standard cotton programme – half load (min)	94	97	92	126	122	79
Condensation efficiency class	В	A	A	В	В	В
Condensation efficiency for standard cotton programme – full and partial load	89%	87%	91%	83%	87%	88%
Power consumption in off mode	0.1W	0.13W	0.1W	0.1W	0.1W	0.1W
Duration of left on mode (min)	30	30	30	0	0	0
Drum volume (litres)	112	112	112	112	112	112
Noise level (dB [A] re 1pW)	62	64	64	64	65	65
PROGRAMMES / FUNCTIONS						
Standard Programmes						
Cottons						-
Easy-care						
Noollens finish	_	_	_			
Wool/shoe drying option (basket)	■/■	I / I	■/-	-1-	-1-	-1-
Dark wash				_	_	-
rapid40						
Outdoor						
Down wear	_	-	-	_		_
Hygiene				_	=	
Timed programmes	_	-	-	_	_	-
Mixed fabrics	_	-	-	-	-	-
				-		
Shirts	-		-	-	-	-
ingerie						-
Towels						-
Blankets	-			-	-	-
nyTime		-	-	-	-	-
Airing		-	-	-	-	-
Options						
Memory	-		-	-	_	-
Buzzer						
Low heat option						
Less Ironing						
KEY FEATURES						
Home Connect			-	_	-	-
Odrive			_	_	_	_
activeAir technology						
Heat pump						_
selfCleaning condenser					_	_
easyClean filter	_		_			_
•					-	
Sensor drying with revolution drying system antiVibration design	-	-	-	-	-	-
	_	_	_	_	_	_
ADDITIONAL FEATURES	_	_	_	_	_	
oftDry drum	60/120	120	120	120	120	120
Anti-crease cycle (min)	60/120	120	120	120	120	120
Time delay (hours)	24 hours	24 hours	24 hours	24 hours	24 hours	24 hours
Time remaining						
Drum interior light			-	-		
Nater container full/blocked filter warning indicator	■/■	■/■	■/■	■/■	I / I	■/■
Child lock						
TECHNICAL INFORMATION						
Dimensions of the product: H x W x D (cm)	84.2 x 59.7 x 64.4	84.2 x 59.8 x 63.4	84.2 x 59.8 x 65.2	84.2 x 59.8 x 59.9	84.8 x 59.8 x 63.6	84.2 x 59.8 x 65
Depth with open door 90° (cm)	112.3	109	107	109	107	109
Maximum adjustability feet (cm)	1.5	1.5	1.5	1.5	1.5	1.5
ength electrical supply cord (cm)	145	145	145	145	145	145
Display	LED	TFT	LED	LED	LED	LED
Cabinet colour	White	White	White	White	White	White
Door colour	Chrome/black grey	Chrome/white	Chrome/white	Alu look/white	Alu look/white	Alu look/white
Door kinge	Right-hand	Right reversible	1	Right-hand	Right-hand	Right-hand
Removable top	-		Right-hand	-		_
	-	=	-	-	_	_
<u> </u>	_	-	-	-	-	-
ocation of vent				4242003804223	4242003760055	424200375452
ocation of vent AN code	4242003793114	4242003750216	4242003682401	4242003004223		
ocation of vent AN code OPTIONAL ACCESSORIES	4242003793114					
ocation of vent AN code OPTIONAL ACCESSORIES stacking kit with pull out shelf		WZ20400	WTZ11400	WZ20400	WZ20400	WZ20400
ocation of vent AN code OPTIONAL ACCESSORIES Stacking kit with pull out shelf	4242003793114					WZ20400 WZ11410
cocation of vent CAN code OPTIONAL ACCESSORIES Stacking kit with pull out shelf Stacking kit Cover plate	4242003793114	WZ20400		WZ20400	WZ20400	

[■] Yes, model has this feature. — Feature not available for this model.

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton. Annual consumption is based on 160 drying cycles.

Freestanding Washer Dryer Specifications

ARRIVANCE TURE		W. C. I.E. D. D. V. E. C.	
APPLIANCE TYPE Design family	iQ 700	WASHER DRYERS iQ 500	iQ 500
Model number	WD15H520GB	WD15G421GB	WD14H421GB
PERFORMANCE	WB 1311320 0B	WBISCIETOS	Warmierea
Energy efficiency class	A	A	A
Capacity cotton – washing (kg)	7.0	8.0	7.0
Capacity cotton – drying (kg)	4.0	5.0	4.0
Maximum spin speed (rpm)	1500	1500	1400
Washing performance class	A	A	A
Energy consumption – wash and dry, full wash load (kWh)	4.76	5.44	4.76
Energy consumption – wash only (kWh)	0.70	-	0.70
Total annual energy consumption – washing and drying, 200 full loads (kWh) Total annual energy consumption – washing only, 200 full loads (kWh)	952 140	1088 166	952 140
Water consumption – wash and dry, full wash load (litres)	57	118	57
Total annual water consumption – washing and drying, 200 full loads (litres)	11400	23600	11400
Total annual water consumption – washing only, 200 full loads (litres)	10200	14200	10200
Average washing time cotton 60°C – full load (min)	285	420	240
Average washing/drying time cotton 60°C – full load (min)	540	810	510
Drum volume (litres)	56	56	56
Noise level washing/spinning/drying (dB [A] re 1pW)	46/74/61	52/74/59	48/74/60
PROGRAMMES / FUNCTIONS			
Standard Programmes			
Cottons		=	
Easy-care Easy-care		•	
Wool			
Delicate/Silk	-		
Rinse			
Spin			
Empty Consideration Description			
Specialist Programmes Automatic drains	_	-	-
Automatic drying			
Wash and dry 60 autoStain removal system		-	<u> </u>
rapid15		-	-
Textile quard/Outdoor wear		II / -	<u> </u>
Refresh			
Mixed fabrics	-		
Hygiene care			-
Shirts	_		-
Fluff removal programme			
Options			
ecoPerfect			
speedPerfect			
Less Ironing		-	
Extra rinse	•		•
Prewash	Cottons	Cottons	
Variable temperature			
Variable spin			-
KEY FEATURES	<u>_</u>	_	<u>_</u>
varioPerfect		•	
autoStain removal system iQdrive		-	-
airCondensation technology		_	
autoDry function		-	
selfCleaning condenser		_	
ADDITIONAL FEATURES			
optiWave drum			
Time delay	24 hours	24 hours	24 hours
Time remaining			
autoLoad/autoLoad Plus	■/-	■ /-	■/-
Reload facility			
Drum interior light		-	_
Child lock			
Self-cleaning detergent drawer			
Water protection system	hydroSecure	hydroSecure	hydroSecure
TECHNICAL INFORMATION	04550.050	256050	04.0 50.0 50
Dimensions of the product: H x W x D (cm)	84.5 x 59.8 x 59	85 x 60 x 59	84.9 x 59.8 x 59
Depth with open door 90° (cm)	108	108	108
Adjustable feet Maximum adjustability foot (cm)	Front	Front	Front
Maximum adjustability feet (cm) Length electrical supply cord (cm)	1.2 210	1.2 210	1.2 210
Display	LCD	LED LED	LED
Cabinet colour	White	White	White
Door colour	White/chrome	Grey/black	Silver/black
Door hinge	Left-hand	Left-hand	Left-hand
Removable top	–	–	–
EAN code	4242003705780	4242003706992	4242003652909
OPTIONAL ACCESSORIES			
Floor fixing kit	WX975600	-	WX975600
Extension to water inlet	WZ10130	-	WZ10130
Build under cover	=	WZ10190	=

[■] Yes, model has this feature. — Feature not available for this model.

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton. Annual consumption is based on 160 drying cycles.

Dishwashers Extra innovations for extra shine. As you'd expect, Siemens dishwashers take full advantage of the latest technologies. Designed to fit in around your hectic lifestyle our dishwashers feature efficient, time saving and environmentally conscious programmes that are going to make your dishes shine. With sleek stylish design, both inside and out, they are designed to complement your modern home. Model shown: SN278I36TE Zeolith® dishwasher with clearText TFT Display



The power of intelligently linked sensors.

The unique quality that distinguishes the iSensoric technology is the connection of all the sensors.

iSensoric technology

Siemens iSensoric is the ground-breaking innovation in dishwashing that stands for automatically measuring, detecting, calculating and controlling every step of the cleaning process, so you can get on with your day.

1 Auto Programmes

Brilliant results at the push of a button. As soon as one of the auto programmes is activated, the aqua sensor automatically measures the cloudiness of the water to precisely adapt the amount of water needed for optimal cleaning. In interaction with other intelligent sensors, the iSensoric control unit steers the whole washing and drying process to deliver brilliant results every time.

2 aquaStop®

For a lifetime guarantee against water damage. This safety system prevents any water damage using the intelligent network of sensors. Regardless of whether the inlet hose or the appliance is leaking, the security sensor immediately detects it and activates the aquaStop®. Siemens guarantees this safety with a lifelong warranty.

3 intensiveZone

For pots, pans and delicate dishes all in one wash. Activating the intensiveZone automatically increases the spray pressure in the lower basket. This way, heavily soiled pots or pans can be cleaned thoroughly, while delicate dishes in the upper basket are treated gently and safely. As part of iSensoric, the water volume sensor ensures an optimal amount of water within the dishwasher – for superior cleaning performance.

4 TFT Display

Crystal-clear operation. The intuitive clearText TFT Display houses the iSensoric control unit which processes the information given by each sensor to ensure brilliant results. With the ability to think, the real-time clock is able to display the exact time each load will be ready, the info button brings up written programme information and the Eco Forecast feature shows the energy and water consumption for each cycle. This intelligence makes each dishwasher easy to use.



Now, it's possible thanks to the new brilliantShine system with Zeolith[®] drying. Great moments start with small details. Such as brilliantly dry and shiny glasses directly out of your dishwasher – without any special effort or additional polishing all whilst using minimal water and energy.



Add an extra sparkle

Our brilliantShine system combines our low temperature glass care programme with our advanced water softening technology and Zeolith® drying to ensure your glassware is taken care of. Straight from dishwasher to table, Shine&Dry gives you streak-free, shining glasses. Harnessing the power of Zeolith® at its best, the special drying cycle also works just as well on plastics, pots and pans. Saving you time, you no longer need to give glasses an extra towel dry to smarten them up, allowing you to spend more time with your guests.



Zeolith®

Using advanced drying technologies Siemens dishwashers keep energy consumption to a minimum. Zeolith®, a form of naturally occurring mineral has the astonishing ability to absorb moisture and convert it to heat.

What does this mean for you? The heat produced naturally by the Zeolith® is used for the drying cycle. No additional energy is therefore required to heat up the contents of your dishwasher for the drying process (as with a standard drying system). This results in perfect drying, with less energy usage.



A+++ Energy

The Zeolith® mineral is stored in the depths of the dishwasher; this regenerates itself and keeps working for the entire lifetime of the machine. Combine this with the economy 50°C programme to get brilliant results with minimal energy. Using the latest sensor technology, our dishwashers don't just save water, they also save energy. All Siemens dishwashers have an energy rating of at least A++, with our iQ500 and iQ700 Zeolith® models boasting a maximum efficiency A+++ rating. Saving energy is important; not just to help reduce your utility bills, but also to be kinder to the environment.

Added extras designed to make life easier.

With cutting-edge technology, Siemens dishwashers give you more than just clean dishes. Functional and specialised programmes mean you may no longer want to select the quickest wash.





varioDrawer Pro

arioDrawer Pro

The varioDrawer Pro adds a third shelf for cutlery and removes the need for a cutlery basket, creating more space. Knives, forks and spoons are placed on their side, leaving them easier to remove when emptying the dishwasher. Convenient blue touchpoints also indicate all the adjustment options available, such as lowering the side sections to accommodate bulkier items like espresso cups and ladles. Perfect for the extralarge dinner party, you can fit more in, making the after dinner clean up quick and simple.

varioFlex Pro basket system

The varioFlex Pro basket system is designed to hold larger plates and allows you to create extra space for pots and pans with ease. Blue touchpoints inside the baskets indicate all the adjustment options available at a glance. It's never been as easy to adjust the slats to suit each load, making the inside of your dishwasher constantly adaptable. varioFlex Pro baskets ensure your dishwasher fits in with your lifestyle, no matter how much it may change day after day. Enjoy fewer washes and more flexibility.



clearText TFT Display with real-time clock

For those that lead busy lives, it's important to plan and manage your time effectively. Thanks to the real-time clock display, it's now possible to set the exact time that you want your dishes to be ready.



emotionLigh

Creating a relaxed ambiance in your living space, the emotionLight uses LED lights to reflect off your brilliantly-cleaned glasses and create a cool blue sparkle from inside your dishwasher. They never need to be changed and will last the lifetime of your dishwasher.





Wi-Fi Home Conne

Connect your Wi-Fi ready dishwasher with the Home Connect App to easily select programmes and options to start your dishwasher from wherever you are, whenever you want. Thanks to this, you can have the dishes ready exactly when you need them. When the dishes are clean and dry, the Home Connect App sends you a push notification to let you know.

The Tab Counter also provides more convenience: simply let the Home Connect App know when you buy new dishwasher tablets and you can always monitor the amount of tablets you still have from wherever you are. If your supply is running low, the Home Connect App even sends you a push notification, reminding you to get some.

hydroDry

Protect your glasses from cracking with hydroDry. Heat generated during the wash cycle is used to pre-heat the rinsing water to stop glasses being put under stress. And as existing heat is used to gently warm the rinse water, it's energy-efficient too.



Siemens dishwashers feature modern design and innovative ideas that make life easier.

5 year warranty

For complete peace of mind, all Siemens appliances come with a free 2 year warranty as standard. A free 5 year warranty is available on selected freestanding models, where indicated, which covers parts, labour and call-out charges.

10 year anti-rust warranty

Due to advanced materials and manufacturing technologies, in addition to our standard appliance warranty, we are able to provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.

varioSpeed Plu

Ever needed your dishes cleaned quickly, forgotten to put the dishwasher on in the morning, or simply need clean plates before your guests arrive? That's why we've introduced varioSpeed Plus, the perfect time saver. varioSpeed Plus reduces the time it takes to wash and dry a full load down to a third.

Ideal when you need your cutlery and plates in a hurry, just press the varioSpeed Plus button in conjunction with your desired programme* and it will run the dishwasher significantly faster without compromising on wash quality.

Used together with the Eco 50 programme, varioSpeed Plus will wash and dry a full load in just over an hour. Giving you time saving solutions when you need them the most and sparklingly clean dishes in super swift time.

*Except quick wash 45°C programme

iQdri

The frictionless design of the iQdrive motor means minimal wear and tear, resulting in a guieter machine with an increased life span.

dosageAssis

Ensuring that your dishes receive the best possible clean every time, dosageAssist quickly and evenly dissolves your dishwasher tablets throughout the entire machine, leaving no mess for you to clean at the end of the cycle. Rather than the detergent tablet dropping to the bottom of your machine, it falls into an innovative basket at the front, allowing it to dissolve completely leaving no mess and a brilliant clean.

Wine glass holder accessory

No longer will you choose to wash your wine glasses by hand. Available as standard in our fullsize iQ500 models, this accessory holds and optimally cleans up to four long stemmed wine glasses safely and securely. The result? Sparkling glasses that have been safely cleaned and dried, every time. The accessory is also available to buy.

Part number: SZ73300


rackMatic™

Ever found yourself loading and reloading the dishwasher because the last pan doesn't fit? rackMatic™ conveniently allows you to raise and lower the height of the top basket, even when the dishwasher is full. With the simple flick of a lever you can adjust the basket to suit your washing needs. This increased flexibility ultimately saves you time, letting you get back to more important things.

There's no need to do separate washes with intensiveZone.

intensiveZone

With intensiveZone, you can wash delicate glasses and burnt cooking pans in the same wash. The increased spray pressure in the lower basket ensures stubborn stains are removed, whilst delicate items are protected in the top basket. This means there is no need to separate washes or soak pans overnight, saving time. And with iSensoric, the water volume sensor ensures an optimal amount of water within the dishwasher at all times.



Dishwashers Welcome to a range designed around you. iQ 700 Reserved for our premium dishwasher range. iQ700 stands for exceptional design allied with seriously intelligent and innovative technology. TOTAL STATE OF THE PARTY OF THE iQ 500 Exuding class and refinement, these machines unite first-class features with top-class technology.

A Quick Feature Guide

Reference key:



Model does have this feature



Model does not have this feature

Key functionality



Energy efficiency class All Siemens freestanding dishwashers are rated at least A++ for energy efficiency.



Noise At just 42dB, you will barely hear our dishwashers running, leaving you to relax in peace. Perfect for open plan living.



varioDrawer Pro By adding a third shelf for cutlery, varioDrawer Pro removes the need for a cutlery basket and creates more space.



Water Consumption Indicates the average water consumption per cycle of each dishwasher based on the Eco 50 programme using cold fill water.



Wi-Fi ready With Wi-Fi-enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



TFT Display Siemens dishwashers with clearText TFT Display allow you to see programme information easily in high resolution with clear text and icons, making the use of your dishwasher even easier.



varioFlex Pro basket Creating extra space for pots and pans by adjusting slats to suit different loads, the inside of the dishwasher is constantly adaptable.



Zeolith® is a naturally occurring mineral that converts moisture to heat. This heat produced naturally by the Zeolith® is used for the drying cycle. No additional energy is therefore required to heat up the contents of the dishwasher for the drying process.

Other product features

dosage Assist

Quickly and evenly dissolves dishwasher tablets throughout the entire machine, leaving no mess to clean at the end of the cycle.

duoPowe

Benefitting from 2 spray arms under the top basket as opposed to just one, duoPower ensures that dishes in all areas of the dishwasher receive the best possible clean. (Feature available on slimline models)

eat exchanger

Heat generated from the wash pre-heats water for later in the cycle, thereby saving energy.

าydroDry

The hydroDry system extracts moisture from the air in the machine efficiently, leaving the contents of the dishwasher to dry hygienically without the need for external air.

hydroSafe

Cuts off the water supply from the tap if a leak is detected, even if the dishwasher isn't in use. Precision protection for your kitchen.

hydroSensor

Makes sure that the optimum temperature is used depending on how dirty the dishes are, meaning that dishes are perfectly clean the first time round.

Hygiene Plus

The Hygiene Plus setting eradicates 99.9% of germs by super heating the final rinse. Ideal for chopping boards and food containers, Hygiene Plus helps to keep your family fit and healthy.

loadSenso

By monitoring that the optimum amount of water is flowing through the dishwasher throughout the cycle, loadSensor helps to ensure that dishes are cleaned thoroughly.

Machine Care

Designed for use with a dishwasher cleaning detergent, the Machine Care programme offers an easy way to give your dishwasher a deep clean.

rackMatic™

Conveniently allows the user to raise and lower the height of the top basket to create more or less space, even when the dishwasher is loaded.

Real-time clock

Thanks to the real-time clock display, it's now possible to set the exact time that you want your dishes to be ready by.

Shine&Dr

Straight from dishwasher to table, Shine&Dry gives you streak-free shining glasses.

varioDrawer Plus

By adding a third shelf for cutlery, varioDrawer removes the need for a cutlery basket and creates more space.

varioFlex Plus

Making the most of the space within the dishwasher, varioFlex Plus lets you adjust slats in the baskets to suit each load making the inside of your dishwasher constantly adjustable.

varioSpeed Plus

Use the varioSpeed Plus button to run the dishwasher significantly faster without compromising on wash quality.

Wine glass holder

This accessory cleans up to four long stemmed wine glasses safely and securely. The innovative lock mechanism ensures glasses are stable in the basket, yet with minimal contact areas to avoid any water pooling or streaks.

Freestanding Dishwasher



Stunning design and intelligent technology, our 10700 dishwasher features brilliantShine system with Zeolith® drying, giving you brilliantly dry and shiny glasses directly out your dishwasher.



Keeping your energy consumption to a minimum, Siemens iQ700 dishwashers use Zeolith®, to create the heat needed for drying dishes. This combined with the high resolution clearText TFT colour display, varioSpeed Plus for faster washing, and the convenient varioDrawer Pro, gives you a dishwasher that is easy to use and designed to perform.



• 5 additional options: Remote Start, intensiveZone, varioSpeed Plus, Hygiene Plus, Shine&Dry Machine Care programme

Ouick 45°C, Pre-rinse

- Time remaining indicator • Dimensions (HxWxD): 84.5 x 60 x 60cm
- 5 year warranty
- Interior blue emotionLight



Freestanding Dishwashers





Key features

- 14 place settings
- 8 programmes: Intensive 70°C, Auto 45-65°C, Eco 50 °C, Silence 50 °C, Short 60°C. Glass 40°C, Quick 45°C, Pre-rinse
- 4 additional options: Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry
- Machine Care programme
- Time remaining indicator
- Interior blue emotionLight
- Dimensions (HxWxD): 84.5 x 60 x 60cm
- 5 year warranty



SN258W06TG















Key features

- 14 place settings
- 8 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60°C. Glass 40°C, Quick 45°C, Pre-rinse
- 4 additional options: Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry
- Machine Care programme
- Time remaining indicator
- Interior blue emotionLight
- Dimensions (HxWxD): 84.5 x 45 x 60cm 5 year warranty





Space-saving intelligence.

The 45cm dishwasher from Siemens helps you use space efficiently, whilst offering the most innovative Siemens technology, advanced operating convenience and optimum performance.

duoPower

Although the 45cm slimline series dishwasher may be small, it is still intelligent when it comes to powerful cleaning. Benefitting from 2 spray arms under the top basket as opposed to just one, duoPower ensures that your dishes receive the best possible clean, with 2 duoPower arms working doubly hard to reach every inch of the basket.



Energy efficier

Siemens dishwashers are designed to thoroughly clean dishes, but quietly, whilst using the minimum of water and energy. Our 45cm slimline model also features the varioDrawer Pro cutlery tray, giving you nothing but outstanding results. With Siemens, dishes have nowhere to hide.



Resource efficience

Using only 9.5 litres of water to wash 10 standard place settings in one cycle, our iQ500 45cm slimline dishwasher is extremely resource efficient too.



When space is at a premium, our 500 slimline dishwasher conveys an elegant impression of absolute quality and intelligent innovation.



Experience the brilliance of optimally cleaned and dried dishes with our iQ500 slimline dishwasher. With innovative technologies and functions that also meet the highest demands for performance, convenience, and energy efficiency.



450mm

Key features

- 10 place settings
- 6 programmes: Auto 35-45°C, Auto 45-65°C, Auto 65-75°C, Economy 50°C, Silence 50°C, Quick 45°C
- 4 additional options: intensiveZone, varioSpeed Plus, halfLoad, Hygiene Plus
- varioDrawer Pro
- 24 hour timer
- Dimensions (HxWxD): 84.5 x 45 x 60cm
- 5 year warranty

Freestanding Dishwasher Specifications

APPLIANCE TYPE		REESTANDING 60cm DISHWASHER		SLIMLINE 45cm
Design family	iQ700	iQ 500	iQ 500	iQ 500
Model number	SN278I36TE	SN258I06TG Stainless steel	SN258W06TG	SR26T897EU
Colour PERFORMANCE	Stainless steel	Starriess steel	White	Stainless steel
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50
Energy efficiency class	A+++ -10%	A+++	A+++	A++
Total annual energy consumption ¹ (kWh)	211	237	237	211
Total annual water consumption¹ (litres)	2100	2660	2660	2660
Energy consumption ² (kWh)	0.73	0.83	0.83	0.75
Water consumption ² (litres)	7.5	9.5	9.5	9.5
Number of place settings	13	9.5	9.5	10
Cleaning performance class	A	A A	A A	A
31	A	A	A	A
Drying efficiency class Noise level (dB[A] re 1 pW)		42 (40 in Silence programme)		42 (41 in Silence programme)
Total cycle time of reference programme (min)	42 (40 in Silence programme) 225	195	42 (40 in Silence programme) 195	195
PROGRAMMES / FUNCTIONS	223	195	195	195
Number of programmes	8	8	8	6
Number of programmes Number of options ³	6	5	5	4
·	6	6	6	5
Number of different wash temperatures List of programmes	Intensive 70°C, Auto 45-65°C,	Intensive 70°C, Auto 45-65°C,	Intensive 70°C, Auto 45-65°C,	Auto 35-45°C, Auto 45-65°C,
List of programmes	Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse	Eco 50 °C, Silence 50 °C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse	Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse	Auto 65-75°C, Eco 50°C, Silence 50°C, Quick 45°C
Additional options	Remote Start, intensiveZone, varioSpeed Plus, Hygiene Plus, Shine&Dry	Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry	Remote Start, intensiveZone, varioSpeed Plus, Shine&Dry	intensiveZone, varioSpeed Plus halfLoad, Hygiene Plus
Machine care programme	•			-
FLEXIBLE DESIGN ELEMENTS				
Basket type	varioFlex Pro	varioFlex Pro	varioFlex Pro	varioFlex Pro
varioDrawer	varioDrawer Pro	varioDrawer Pro	varioDrawer Pro	varioDrawer Pro
Adjustable upper basket	rackMatic™ 3-stage	rackMatic™ 3-stage	rackMatic™ 3-stage	rackMatic™ 3-stage
Foldable racks upper/lower	6/8	6/8	6/8	3/4
Largest loadable dish upper basket (cm)	21	21	21	19
Largest loadable dish lower basket (cm)	31	31	31	30
Cup shelves upper/lower	2/2	2/2	2/2	1/1
INNOVATIONS AND TECHNOLOGY				
clearText TFT Display				-
Home Connect Wi-Fi connectivity	•			-
Drying system	Zeolith®	Zeolith®	Zeolith®	hydroDry
iQdrive motor	•			
dosageAssist detergent dispenser	•			
Water protection system	hydroSafe 24 hour	hydroSafe 24 hour	hydroSafe 24 hour	hydroSafe 24 hour
Glasscare protection	•			
Load sensor				
duoPower spray arm	-	=	=	
DESIGN FEATURES				
Start delay time max (h)	24	24	24	24
Time remaining indicator				
Safety features	Door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock
Blue interior emotionLight				_
Self-cleaning filter system				
TECNICAL SPECIFICATIONS				
Maximum adjustability feet (cm)	2	2	2	2
Depth with open door 90° (cm)	115.5	115.5	115.5	115.5
Removable worktop		-		
				84.5
Height of the product with worktop (cm)	84.5	84.5	84.5	
	84.5 81.5	84.5 81.5	84.5 81.5	81.5
Height of the product with worktop (cm) Height of the product without worktop (cm) Width of the product (cm)				
Height of the product without worktop (cm) Width of the product (cm)	81.5	81.5	81.5	81.5
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm)	81.5 60 60	81.5 60 60	81.5 60 60	81.5 45 60
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm)	81.5 60 60 175	81.5 60 60 175	81.5 60 60 175	81.5 45 60 175
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm)	81.5 60 60 175 165/190	81.5 60 60 175 165/190	81.5 60 60 175 165/190	81.5 45 60 175 165/205
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg)	81.5 60 60 175 165/190 57/59	81.5 60 60 175	81.5 60 60 175 165/190 56/58	81.5 45 60 175 165/205 44/46
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener4	81.5 60 60 175 165/190 57/59	81.5 60 60 175 165/190 56/58	81.5 60 60 175 165/190 56/58	81.5 45 60 175 165/205 44/46
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH)	81.5 60 60 175 165/190 57/59	81.5 60 60 175 165/190 56/58	81.5 60 60 175 165/190 56/58	81.5 45 60 175 165/205 44/46
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C)	81.5 60 60 175 165/190 57/59 50° 60	81.5 60 60 175 165/190 56/58	81.5 60 60 175 165/190 56/58 50° 60	81.5 45 60 175 165/205 44/46
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C) Internal construction	81.5 60 60 175 165/190 57/59	81.5 60 60 175 165/190 56/58	81.5 60 60 175 165/190 56/58	81.5 45 60 175 165/205 44/46 50° 60 Stainless steel
Height of the product without worktop (cm) Width of the product (cm) Depth of the product (cm) Length of electrical supply cord (cm) Length inlet/outlet hose (cm) Net weight/gross weight (kg) Water softener ⁴ Maximum accepted water hardness (DH) Maximum temperature for water intake (°C)	81.5 60 60 175 165/190 57/59 50° 60 Stainless steel	81.5 60 60 175 165/190 56/58 50° 60 Stainless steel	81.5 60 60 175 165/190 56/58 50° 60 Stainless steel	81.5 45 60 175 165/205 44/46

■ Yes, model has this feature. — Feature not available for this model.

¹ Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode.

² The consumption per cleaning cycle of the "Eco 50" programme using cold water fill.
³ Includes Machine Care programme where included
⁴ We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute.

Inlet valve connected directly to 3/4" screwed joint.

Key to accessories

SZ73300 – Wine glass holder

SZ73100 – Cutlery basket

SZ73145 – Slimline cutlery basket





Fresher food for longer with iSensoric.

The unique quality 1 freshSense that distinguishes the iSensoric technology is the connection of all the sensors.

Fresh food, guaranteed for longer. With conventional fridges, varying surrounding temperatures and the continuous opening of the refrigerator door lead to temperature changes inside the appliance. To ensure this does not affect your food, iSensoric immediately reacts. The freshSense sensors activate the moment a change in temperature is registered, for example when products are stored away, and compensates for this change in an instant. Therefore the temperature always remains within the optimum range and your food stays fresh and delicious for longer.

noFrost technology

Defrosting the freezer is now done automatically. Siemens fridge freezers and freezers with iSensoric are equipped with intelligent sensor-controlled technology to save the hassle of defrosting the freezer. An air-circulation system guides the humidity to the outside of the refrigerator into an external evaporation tray, and sensors measure the degree of humidity and any frost production – ensuring the appliance is periodically defrosted without the need to turn off the appliance or empty it out. Also, ice no longer forms on the inside of the refrigerator, and the appliance's energy consumption remains consistently low.

3 touchControl

Total control at your fingertips. Thanks to the highly sensitive sensors, even the slightest touch of the touchControl display is registered and all the functions of the fridge freezer – such as temperature, alarm and holiday mode – can be immediately set. Furthermore, the touchControl display is also the communications hub for iSensoric, as this is where the data is collected from the various sensors for controlling other functions. For more convenience, the freezer and fridge can be controlled separately thanks to their independent cooling circuits.

4 Inverter motor

The intelligent inverter technology is a clever combination of the inverter motor and iSensoric. The sensors register every slight change in temperature or humidity inside the refrigerator, for example when the door is opened or warm food is stored. This information is then passed to the inverter motor, which adapts its need for energy accordingly. This means you can cool food intelligently and energyefficiently, and thanks to the high-quality inverter motor, incredibly quietly.







Fresh water and ice on tap.

Plumbed in water at Fresh water and ice both day and night the touch of a button dispensing refreshing ice-cool water and ice both day and night, Siemens puts you in control of your fridge freezer.

Providing you with chilled, filtered water and crushed or cubed ice at the touch of a button, the water and ice dispenser built into iQ700 Siemens fridge and freezer is a convenient time saver. Serving you with a refreshing drink whenever you want, the ice dispenser can produce up to 140 ice cubes per day. With LED down lighting on our premium model, the ice and water dispenser is not only luxuriously convenient; it is also classically designed.

Electronic controls

With easy to use electronic controls Siemens fridge freezers never leave you in the dark. The electronic display allows you to precisely set and change the temperature of your fridge and freezer and select certain modes, such as Holiday Mode, putting the power of your new fridge freezer at your finger tips.

Stunning on the outside, beautiful on the inside

With a streamline design on the outside, Siemens fridge freezers are just as elegant inside. Superbly designed, with conveniently placed LED lighting, easyLift door shelves, a flexiShelf that folds down if you need additional shelf storage or neatly folds away if you don't. The bigBox in the freezer is perfect for stacking several pizzas or those pre-filled dessert glasses you need chilling for your dinner party; there's a place for everything.



Designed for an easy life.

With noFrost technology you'll never have the job of defrosting the freezer



No ice build up on freezer walls or food packaging

Who has time to defrost the freezer? Those with a Siemens noFrost freezer do, because there simply is no need to. Using an air circulation system to remove humidity and stop frost and ice building up on the freezer walls and packaging, the freezer looks after itself. Hassle free, you won't need to turn off the freezer to defrost and you can enjoy fresher food, no more soggy packaging and a frost-free freezer for



Because life's too short

For those models that come with lowFrost life is still made easier. lowFrost reduces the build-up of frost by up to 50%, meaning that you don't need to defrost the freezer as often, only once every 18 months to 2 years*. Designed to save you time and provide added convenience, you can spend your time on the things you enjoy, not defrosting your freezer.

*Dependent on how many times the door is opened



hyperFresh Premium. Enjoy fresher food for up to three Fresh for up to **three**

times longer thanks to hyperFresh Premium. Simply select the kind of fruit and vegetables you want to times longer. store with the new control and let the drawer regulate how much humidity your food receives. With the drawer, fish and meat can also be stored at the perfect temperature.



hyperFresh. Enjoy freshness longer.

The hyperFresh drawer offers freshness for longer thanks to the rippled bottom which allows cool air to circulate around your fruit and vegetables easily. As a result, you can see the quality and feel the freshness.



hyperFresh Plus. The new hyperFresh Plus drawer Fresh for up to **twice** as long.

doesn't just store fruit and vegetables, it provides them with the right conditions to keep them fresh for up to twice as long. Whether it's fruit or vegetables, simply switch the control and the humidity will be adjusted for optimum storage of your food.



hyperFresh 0°C drawers. Custom freshness for fish and meat: available in all hyperFresh models.

The two hyperFresh 0°C drawers are especially designed for the cooling needs of fish and meat. Keep them fresher in ideal conditions near 0°C for up to two times longer. The separate compartments also avoid unpleasant smells to transfer and both boxes can be easily pulled out with one hand to make room for other foods and drinks, cooling them down quicker and providing refreshing drinks sooner.



The search ends here.

To find the appliance that's right for you, or to find out more about the features, just visit our website: siemens-home.bsh-group.com/uk





For complete peace of mind, all Siemens appliances come with a free 2 year warranty as standard. A free 5 year warranty is available on all freestanding cooling models, which covers parts, labour and call-out charges.



Energy rating

Packed with ingenious and energy efficient solutions, a Siemens appliance is perfectly designed for your convenience and practicality. And there is so much more that you won't even see, including the environmental benefits.

The multiAirflow System helps to circulate air around the fridge evenly, meaning that temperatures on all shelves to keep food fresher for longer. This also saves energy as the multiAirflow System cools down new warmer food entering the fridge 40% faster than a standard fridge meaning the motor doesn't need to work as hard to cool the fridge down.

When you're on holiday or a long business trip Holiday Mode will ensure that your food in the freezer stays cold enough to maintain freshness. Our fridges also feature a warning alarm that alerts you when the fridge door has been left open, ensuring that energy isn't needlessly wasted and preserving the food inside, both save money and energy usage.

Introducing ground-breaking innovation in cooling; iSensoric technology

iSensoric technology is an innovation that gives your Siemens cooling appliance a unique ability: thinking. It stands for automatically detecting, calculating and controlling the whole cooling process, so you can get on with your day.



Optimum temperature guaranteed

The multiAirflow System keeps food at the optimum temperature by circulating air around the fridge evenly to maintain the temperature on all shelves. This ensures freshness and saves energy as the system cools down new warmer food entering the fridge 40% faster than a standard fridge, because the motor doesn't need to work as hard to cool the fridge down.



Elegant, energy efficient lighting

LED lighting is the most efficient lighting available. Now integrated seamlessly into the side walls of the fridge, they give maximum illumination and no loss of fridge space. The freezer drawer is also lit in the same way with bright, non-glare light. We also have soft start lighting in all of our noFrost bottom freezers which creates a sophisticated illumination.



ouchControl

Control all functions of the fridge freezer with a gentle touch using the clearly arranged touchControl panel. Precisely change the temperature setting with ease for more control of your appliance.



capac capac

Big enough for your lifestyle, the bigBox has the capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright. Ideal for the holidays and entertaining alike.

Electronic controls

With easy to use electronic controls Siemens fridge freezers never leave you in the dark. The electronic display allows you to precisely set and change the temperature of your fridge and freezer and select certain modes, such as Holiday Mode, putting the power of your new fridge freezer at your finger tips.

Perfect for entertaining

A Quick Feature Guide





Model does not have this feature

Cooling



Key functionality - Fridge Freezers, Fridges and Freezers



5 Year Warranty Available on our range of fridge freezers, upright fridges and upright freezers, the 5 year warranty covers parts and labour.



Wi-Fi ready With Wi-Fi-enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



hyperFresh premium The "dry" zone and "dewpoint" zone within these drawers determine how much humidity food receives. Storing foods at their optimum humidity can help them last up to 3 times as long. This creates less food wastage, meaning fewer trips to the supermarket and cutting down on food bills.



noFrost Intelligent noFrost technology completely stops the build-up of frost and ice – for life. Not only a time saver, noFrost also ensures that the cavity space within is not compromised by frost.



hyperFresh plus Locking in minerals and nutrients, fresh food can last twice as long as it does in a standard vegetable drawer in the Siemens hyperFresh Plus drawer.



multiAirflow System Moderates the fridge temperature when new food is added, cooling down food 40% faster than a standard fridge.



hyperFresh Keep food fresh in this fruit and vegetable drawer with rippled bottom which allows cool air to circulate around your food easily.



touchControl Control all functions of the fridge freezer with a gentle touch using the clearly arranged touchControl panel.

American Fridge Freezers



Energy efficient cooling All Siemens cooling appliances are rated at least A+ for energy efficiency, which means they use 40% less energy compared to their A-rated equivalents.



Wi-Fi ready With Wi-Fi-enabled Siemens home appliances and Home Connect, you can manage your home appliances from wherever you are and discover more possibilities to make your life easier.



5 Year Warranty Available on our range of Americanstyle fridge freezers, the 5 year warranty covers parts and labour.



hyperFresh technology hyperFresh technology is designed to store your food correctly and keep food fresher for longer. hyperFresh premium keeps food fresh for up to 3 times longer than standard food drawers.



iceDispenser These models are able to dispense ice when needed thanks to a plumbed water connection. Depending on model, ice is available as cubes or crushed



waterDispenser Models with a water dispenser are able to dispense water thanks to a plumbed water connection. For fresh and cool drinking water whenever you need it.



LED Illumination Integrated seamlessly into the side walls of our cooling appliances, LED lighting is very efficient and gives maximum illumination of your fridge and freezer.



multiAirflow System Moderates the fridge temperature when new food is added, cooling down food 40% faster than a standard fridge.



noFrost Intelligent noFrost technology completely stops the build-up of frost and ice – for life. Not only a time saver, noFrost also ensures that the cavity space within is not compromised by frost.



Wine rack A wine rack is available on some models which is the perfect place to store wine of all varieties and make the best use of space in your fridge.



Other product features

airFrach filtar

Shelves separate food, the airFresh filter separates smells, ensuring that the fridge smells fresh at all times.

antiFingerprin

Keeps the fridge looking sleek and spotless on the outside, adding to the overall ambiance of the kitchen.

bigBo

The bigBox has the capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright, ideal for the holidays and entertaining alike.

easyLif^{*}

Easily adjustable door trays and glass shelves that can be moved even when full. Now that's convenience.

flexiShelf

Extra height, extra storage space, extra length, flexiShelf gives you the flexibility within your fridge, depending on your needs.

LED electronic displays

Allows the user precision control over the temperature, ideal to accommodate different types of foods or quantity within the fridge/freezer.

superCo

Ensures that warmer food entering the fridge does not increase the fridge temperature, which can affect other food.

superFreez

superFreezing makes sure that warmer food added to the freezer doesn't raise the freezer temperature, stopping food partially defrosting.

vitaControl

Providing precision temperature control in Siemens fridges and freezers ensuring optimum freshness.

Wrap around evaporator

This new technology creates more space in the freezer cavity, allowing for more innovations like bigBox for large food items, plus removable glass drawers.



The perfect fit for your kitchen.

Whether you want to save space or want to create a seamless finish to your kitchen, Siemens fridge freezers and upright fridges and freezers do not need any space at the sides for ventilation making it easy to fit into tighter spaces or form part of an overall seamless kitchen design.



No distance

This means that a 60cm refrigeration appliance will fit into that exact niche – no need for ventilation clearance, and the special door hinges mean the door will open within that space. So it's easy to update your current model with an efficient Siemens fridge freezer.

Tried and teste

All Siemens fridges and freezers are built to last. And rigorous testing ensures that our products meet all the requirements of our customers. Every single one of our appliances is tested before it leaves the factory. For 24 hours a day, components are tested continuously to the maximum tolerance possible for the equivalent lifetime of the appliance.

The shelves are strong enough to take 20kg of weight and our doors are weighted and then opened and closed by the handle 200,000 times during testing to ensure they are robust (200,000 times is equivalent to opening and closing the door 27 times per day for 20 years). Materials are not only tested for suitability and longevity, we also look at how they sound and feel when we use them.






Discover our 10700 fridge freezer with innovative technology and trend-setting design.

The iQ700 fridge freezer with hyperFresh premium is certain to keep your food fresher for longer in style. Complete with in-door touchControl and flexible storage solutions, this fridge offers more room for storing food correctly and conveniently.



KG39FPI35





Key features

- Fridge capacity: 256 litres
- Freezer capacity: 87 litres
- Noise level: 41dB (A) re 1 pw
- Exterior digital LCD electronic display • 4 safety-glass shelves of which 3 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function with automatic deactivation
- LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm

Freestanding Fridge Freezers

















- Exterior digital LCD electronic display • 4 safety-glass shelves of which 3 are
- height adjustable • 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function with
- automatic deactivation • External digital LCD
- Dimensions (HxWxD): 203 x 60 x 65cm







- 5 safety-glass shelves of which 3 are
- 3 transparent freezer drawers
- superCool and superFreeze function with
- automatic deactivation • External digital LCD
- Dimensions (HxWxD): 203 x 60 x 66cm



KG36NAI45









A^{***}



- Fridge capacity: 237 litres
- Freezer capacity: 87 litres Noise level: 36dB (A) re 1pw
- Exterior digital LCD electronic display
- 4 safety-glass shelves of which 3 are height adjustable
- 3 transparent freezer drawers
- Bottle rack superCool and superFreeze function
- coolBox
- External digital LCD
- Dimensions (HxWxD): 186 x 60 x 66cm







A⁺⁺



Key features

- Fridge capacity: 237 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1pw
- Exterior digital LCD electronic display • 4 safety-glass shelves of which 2 are
- height adjustable • 3 transparent freezer drawers
- Bottle rack
- superCool and superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm













A[™]



- Cameras in the fridge: remote
- monitoring and control • Fridge capacity: 234 litres
- Freezer capacity: 86 litres
- Noise level: 42dB (A) re 1pw
- Exterior digital electronic display • 4 safety-glass shelves of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle rack • superCool and superFreeze function
- Dimensions (HxWxD): 187 x 60 x 65cm





KG36DVI30G


Stainless steel antiFingerprint











• Fridge capacity: 233 litres

• Freezer capacity: 86 litres

- Noise level: 42dB (A) re 1pw
- Interior digital electronic display
- 4 safety-glass shelves of which 2 are
- height adjustable • 3 transparent freezer drawers
- Bottle rack superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

Freestanding Fridge Freezers



Stainless steel antiFingerprint











Kev features

- Fridge capacity: 330 litres
- Freezer capacity: 105 litres
- Noise level: 40dB
- Exterior digital LED electronic display • 5 safety-glass shelves, of which 4 are

• Dimensions (HxWxD): 203 x 70 x 67cm

- height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- LED lights



KG39NVI35G Stainless steel antiFingerprint iQ 300 KG39NVW35G White



Kev features

- Fridge capacity: 279 litres
- Freezer capacity: 87 litres
- · Noise level: 39dB
- Interior digital LED electronic display • 5 safety-glass shelves, of which 3 are
- height adjustable • 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- LED lights

KG36NVI35G Stainless steel antiFingerprint

• Dimensions (HxWxD): 203 x 60 x 66cm

 A^{++}



10 100

KG39NXI35

Stainless steel antiFingerprint













A"



- Fridge capacity: 279 litres
- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw • Exterior digital electronic display
- 5 safety-glass shelves, of which 3 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- LED lights
- Dimensions (HxWxD): 203 x 60 x 66cm





iQ 300










KG36NVW35G White

Key features



- Freezer capacity: 87 litres
- Noise level: 39dB (A) re 1 pw
- Interior digital electronic display
- 4 safety-glass shelves, of which 2 are height adjustable
- 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm



KG34NVI35G Stainless steel antiFingerprint KG34NVW35G White





Key features

- Fridge capacity: 214 litres
- Freezer capacity: 105 litres
- Noise level: 39dB (A) re 1 pw
- Interior digital LED electronic display • 4 safety-glass shelves, of which 2 are
- height adjustable • 3 transparent freezer drawers
- Bottle rack
- superFreeze function
- LED lights
- Dimensions (HxWxD): 186 x 60 x 66cm



















Key features

- Fridge capacity: 192 litres
- Freezer capacity: 105 litres • Noise level: 42dB (A) re 1 pw
- Interior digital LED electronic display
- 3 safety-glass shelves, of which 2 are height adjustable
- 3 freezer drawers
- superFreeze function
- Dimensions (HxWxD): 186 x 60 x 66cm

Freestanding Fridge Freezers



KG33NNL30G Stainless steel antiFingerprint KG33NNW30G White

Key features

 5 vear warrantv • Fridge capacity: 192 litres

height adjustable

superFreeze function

• 3 freezer drawers

• LED lights

• Freezer capacity: 87 litres

• Noise level: 42dB (A) re 1 pw

• Interior digital LED electronic display

• 3 safety-glass shelves, of which 2 are

• Dimensions (HxWxD): 176 x 60 x 66cm























- Fridge capacity: 249 litres
- Freezer capacity: 94 litres
- Noise level: 39dB (A) re 1 pw
- Interior digital LED electronic display • 5 safety-glass shelves, of which 2 are
- height adjustable • 3 transparent freezer drawers
- bigBox
- Bottle rack
- superFreeze function
- lowFrost LED lights
- Dimensions (HxWxD): 201 x 60 x 65cm



KG36VVI32G Stainless steel antiFingerprint









- Interior digital LED electronic display • 4 safety-glass shelves, of which 2 are
- 3 transparent freezer drawers
- LED lights





KG33VVI31G Stainless steel antiFingerprint KG33VVW31G White






Key features

- Freezer capacity: 94 litres
 Noise level: 39dB (A) re 1pw
- 4 safety-glass shelves, of which
- 3 transparent freezer drawers
- Bottle rack
- LED lights











Key features

- Fridge capacity: 214 litres
- Freezer capacity: 94 litres Noise level: 39dB (A) re 1pw
- height adjustable
- Bottle rack
- superFreeze function • lowFrost
- Dimensions (HxWxD): 186 x 60 x 65cm









- Interior digital LED electronic display
- 2 are height adjustable
- superFreeze function
- lowFrost
- Dimensions (HxWxD): 176 x 60 x 65cm

A[↔]

Upright Fridges



-

BECK

B'B

iQ 300

790

Stainless steel antiFingerprint



 A^{++}

 A^{++}



Kev features

- Fridge capacity: 300 litres
- Noise level: 41dB (A) re 1pw LCD electronic display
- 5 safety-glass shelves, of which
- 3 are height adjustable
- Door shelves in fridge door:
- 1 large and 2 small • 1 dairy compartment in door
- Dimensions (HxWxD): 186 x 60 x 65cm



KS36WPI30

Stainless steel antiFingerprint **Key features**

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw LCD electronic display
- 7 safety-glass shelves, of which

A^{**}

- 5 are height adjustable Door shelves in fridge door: 2 large and 2 small
- 1 dairy compartment in door
- Integrated ice and water dispenser
- LED lights
- Dimensions (HxWxD): 187 x 60 x 65cm





KS36VBW30G

Key features

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw
- · Indoor touch control electronics with digital display
- 7 safety-glass shelves, of which 5 are height adjustable
- · easyLift flexible shelf in door
- Door shelves in fridge door:
- 2 large and 2 small • 1 dairy compartment in door
- LED lights

KS36VVI30G Stainless steel antiFingerprint

KS36VVW30G White

• Dimensions (HxWxD): 186 x 60 x 65cm



iQ 300



Key features

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw LCD electronic display
- 7 safety-glass shelves, of which 5 are height adjustable
- · easyLift flexible shelf in door
- Door shelves in fridge door: 2 large and 2 small
- 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm

 A^{++}

KS29VVW30G



Key features

- Fridge capacity: 346 litres
- Noise level: 39dB (A) re 1pw
- LCD electronic display
- 7 safety-glass shelves, of which 5 are height adjustable
- Door shelves in fridge door:
- 2 large and 2 small • 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 186 x 60 x 65cm











Key features

- Noise level: 39dB (A) re 1pw
- LCD electronic display
- 6 safety-glass shelves, of which 4 are height adjustable
- Door shelves in fridge door:
- 1 large and 2 small • 1 dairy compartment in door
- LED lights
- Dimensions (HxWxD): 161 x 60 x 65cm

Upright Freezers



- Noise level: 42dB (A) re 1pw activeCooling – quick and even temperature distribution on all shelf levels (interior fridge fan)
- Number of freezer flaps: 2 6 transparent freezer drawers
- iceDispenser with tap connection cubes and crushed ice any time
- 4 star freezer rating • Dimensions (HxWxD): 186 x 60 x 65cm














- iceTwister for ice cubes on demand
- 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm



Key features • Freezer capacity: 360 litres

- Noise level: 41dB (A) re 1pw
- activeCooling quick and even temperature distribution on all shelf levels (interior fridge fan)
- Number of freezer flaps: 3 6 transparent freezer drawers
- 4 star freezer rating
- Dimensions (HxWxD): 191 x 70 x 78cm







- Noise level: 42dB (A) re 1pw
- activeCooling quick and even • temperature distribution on all
- shelf levels (interior fridge fan)
- Number of freezer flaps: 2 • 7 transparent freezer drawers
- 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm



iQ 500





 A^{++}





- shelf levels (interior fridge fan)
- Number of freezer flaps: 2
- 7 transparent freezer drawers • 4 star freezer rating
- Dimensions (HxWxD): 186 x 60 x 65cm









- activeCooling quick and even temperature distribution on all shelf levels (interior fridge fan)
- Number of freezer flaps: 1
- 5 transparent freezer drawers
- Dimensions (HxWxD): 161 x 60 x 65cm









Our stylish iQ700 American fridge freezer with innovative indoor electronics and intelligent noFrost technology.

Experience a truly stunning finish to this black glass American-style fridge freezer with touchControl electronic controls that seamlessly blend into the front panel. With beautiful design also comes more space for your fresh and frozen food finished with bright LED illumination.



KA92NLB35G

Key features

- Noise level: 43dB
- Net fridge and freezer capacity: 592 litres
- Annual energy consumption: 385kWh
- 4 safety-glass shelves and 2 freezer shelves
- superCool function
- superFreeze function

- hyperFresh plus adjustable humidity keeps fruit and vegetables fresh up to 2 x longer
- bigBox capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright
- iceTwister for ice cubes on demand
- Dimensions (HxWxD): 175.6 x 91 x 72.5cm











American Fridge Freezers



Stainless steel antiFingerprint







KA90DVI20G Stainless steel antiFingerprint







Key features

- Noise level: 43dB
- Net fridge and freezer capacity: 541 litres
- Annual energy consumption: 443kWh • 4 safety-glass shelves and 2 freezer shelves
- superCool function
- superFreeze function
- hyperFresh plus adjustable humidity keeps fruit and vegetables fresh up to 2 x longer
- bigBox capacity for storing whole frozen turkeys, as well as the height to hold dessert glasses upright
- Dimensions (HxWxD): 175.6 x 91 x 72.5cm













- Noise level: 43dB
- Net fridge and freezer capacity: 533 litres • Annual energy consumption: 436kWh
- 4 safety-glass shelves and 4 freezer shelves
- superCool function
- superFreeze function
- hyperFresh plus adjustable humidity keeps fruit and vegetables fresh up to 2 x longer
- Dimensions (HxWxD): 177 x 91 x 72cm











KA90IVI20G Stainless steel antiFingerprint







- Noise level: 43dB
- Net fridge and freezer capacity: 523 litres • Annual energy consumption: 432kWh
- 4 safety-glass shelves and 2 freezer shelves
- superCool function
- superFreeze function
- No water connection needed
- Dimensions (HxWxD): 177 x 91 x 72cm




























Key features

- Noise level: 44dB
- Net fridge and freezer capacity: 573 litres
- Annual energy consumption: 475kWh
- 4 safety-glass shelves and 2 freezer shelves
- superCool function superFreeze function











Freestanding Fridge Freezer Specifications

APPLIANCE TYPE		_	FRIDGE FREEZERS		_	FRIDGE FREEZER
Design family	iQ 700	iQ 500	iQ 500	iQ 500	iQ 500	iQ 500
Model number Stainless steel antiFingerprint	KG39FPI35	-	-	KG36NAI45	-	-
Black glass	-	KG39FSB45	KG39NLB35	-	-	-
White glass	-	-	-	-	-	-
Chrome inox-metallic	-	-	-	-	-	KG36NHI32
White	-	-	-	-	KG36NAW35G	-
Black	-	-	-	-	KG36NAB35G	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A++	A+++	A++	A+++	A++	A++
Annual energy consumption¹ (kWh)	270	180	273	173	260	258
Refrigerator net capacity (litres)	256	256	279	237	237	234
Freezer net capacity (litres)	87	87	87	87	87	86
Noise level (dB [A] re 1 pW)	41	38	39	36	39	42
DESIGN FEATURES		30	3,7	30	37	1-
Design of handle	External bar	Integrated vertical	Integrated vertical	External bar	External bar	External bar
Reversible door, hinged on right	External bar	integrated vertical	Integrated vertical	External bar	External bar	- External bar
LED top light / LED side lights	=/=	=/=	=/=	=/=	- -	-/=
	1	1	1	1	1	-/ =
Number of compressors	·			-		•
Number of cooling circuits	3	3	2	2	2	2
Number of temperature zones fridge	3	3	2	2	2	2
Electronic temperature display fridge/freezer	External Digital LCD	Exterior Digital				
FOOD FRESHNESS SYSTEM						
multiAirflow System						
superCool switch with automatic cut off						
hyperFresh premium humidity controlled drawer			-	-	-	_
hyperFresh plus humidity controlled drawer	-	-				
hyperFresh humidity controlled drawer	_	-	_	-	-	-
hyperFresh premium temperature controlled drawers			-	-	-	_
hyperFresh plus temperature controlled chiller drawers	-	_				
hyperFresh temperature controlled chiller drawers	_	_	_	_	_	
freshBox drawer	_	_	_	_	_	_
KEY FEATURES – FRIDGE SECTION	-	_	-		_	
	0.4.0	0.4.0	0.4.0	0.4.0	0.4.0	0.4.0
Range of temperature (°C)	0, 4–8	0, 4-8	0, 4-8	0, 4-8	0, 4-8	0, 4-8
Bottle rack			_			
Number of shelves (safety glass)	4	4	5	4	4	4
Number of adjustable shelves	3	3	3	3	2	2
Number of door shelves	3	3	2	3	3	2
Temperature control and display	Exterior Digital LCD	Exterior Digital LCD	Exterior Digital LCD	Exterior LCD	Exterior Digital LED	Exterior Digital
Number of shelves in door (including easyLift)	3	3	4	3	3	3
Capacity of water tank (litres)	-	-	-	-	-	-
Water filter with indicator	=	-	=	=	-	=
Home Connect / built-in cameras	■/-	■/-	■/-	■/-	■/-	■/■
Included accessories	3 x egg trays	2 x egg trays				
mendaded decessories	5 A cgg days	3 x cgg days	3 x egg days	3 x cgg aays	3 x cgg trays	z x egg aays
KEY FEATURES – FREEZER SECTION						
Frost build up	noFrost	noFrost	noFrost	noFrost	noFrost	noFrost
	-	-	-	-	-	11011031
Thaw water drainage system	16	16	16	16	16	16
Storage period in power failure (h)				<u> </u>		
superFreeze switch						
Number of drawers / including bigBox	3	3	3	3	3	3
Included accessories	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice cube tray
FUNCTIONS						
Warning/malfunction signal	Visual and audible	Visual and audib				
Door open indicator freezer	Visual und dudible	Visual una addibie	Visual und dadible	Visual und dadible	Visual una addisie	Visual una adale
Holiday mode		-	-	-	-	_
Sabbath mode						-
DANDALL LITUUE						_
			SN-T	SN-T	CNT	CNT
DIMENSIONS AND INSTALLATION	CNT	CNIT		SN-I	SN-T	SN-T
DIMENSIONS AND INSTALLATION Climate class ²	SN-T	SN-T				
DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W)	100	100	100	100	100	160
DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Total unit net capacity (litres)	100 343	100 343	100 366	100 324	100 324	349
DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Total unit net capacity (litres)	100	100	100	100	100	
DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres)	100 343	100 343	100 366	100 324	100 324	349
DIMENSIONS AND INSTALLATION Climate class ² Connection rating (W) Fotal unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres)	100 343 285	100 343 285	100 366 290	100 324 247	100 324 247	349 234
DIMENSIONS AND INSTALLATION Climate class² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) hyperFresh compartment net capacity (litres)	100 343 285 110	100 343 285 110	100 366 290 110	100 324 247 110	100 324 247 110	349 234 86
DIMENSIONS AND INSTALLATION Climate class² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) nyperFresh compartment net capacity (litres) Height of the product (mm)	100 343 285 110 81	100 343 285 110 81	100 366 290 110 21	100 324 247 110 21	100 324 247 110 21	349 234 86 23
DIMENSIONS AND INSTALLATION Climate class² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) hyperFresh compartment net capacity (litres) Height of the product (mm) Width of the product (mm)	100 343 285 110 81 2030 600	100 343 285 110 81 2030 600	100 366 290 110 21 2030 600	100 324 247 110 21 1860 600	100 324 247 110 21 1860 600	349 234 86 23 1870 600
DIMENSIONS AND INSTALLATION Climate class² Connection rating (W) Total unit net capacity (litres) Refrigerator gross capacity (litres) Freezer gross capacity (litres) hyperFresh compartment net capacity (litres) Height of the product (mm) Width of the product (mm) Will fit into a 600 / 700mm niche — ideal for replacement Depth of the product (mm)	100 343 285 110 81 2030	100 343 285 110 81 2030	100 366 290 110 21 2030	100 324 247 110 21 1860	100 324 247 110 21 1860	349 234 86 23 1870

[■] Yes, model has this feature. — Feature not available for this model.

APPLIANCE TYPE	FRIDGE FREEZERS					
Design family	iQ 300	iQ300	iQ 300	iQ 300	iQ 300	iQ 300
Model number Stainless steel antiFingerprint	KG36DVI30G	KG49NXI30	-	KG39NXI35	-	KG34NVI35G
Black glass	-	-	-	=	-	-
White glass	=	-	-	=	-	-
Chrome inox-metallic	-	-	KG39NVI35G	-	KG36NVI35G	-
White	-	-	KG39NVW35G	-	KG36NVW35G	-
Black	-	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A++	A++	A++	A++	A++	A++
Annual energy consumption¹ (kWh)	239	303	273	273	260	267
Refrigerator net capacity (litres)	233	330	279	279	237	214
Freezer net capacity (litres)	86	105	87	87	87	105
Noise level (dB [A] re 1 pW)	42	40	39	39	39	39
DESIGN FEATURES						
Design of handle	External bar	External bar	Integrated vertical	Integrated vertical	Integrated vertical	Integrated vertica
Reversible door, hinged on right						
LED top light / LED side lights	■/-	■/-	■/-	■/-	■/-	■/-
Number of compressors	1	1	1	1	1	1
Number of cooling circuits	1	2	2	2	2	2
Number of temperature zones fridge	1	2	2	2	2	2
Electronic temperature display fridge/freezer	Interior Digital LED	Exterior Digital LED	Digital LED	Digital LED	Digital LED	Digital LED
FOOD FRESHNESS SYSTEM	J	J				
multiAirflow System	=					
superCool switch with automatic cut off	=				_	
hyperFresh premium humidity controlled drawer	_	-	-	-	_	-
hyperFresh plus humidity controlled drawer	-		-	-	_	-
hyperFresh humidity controlled drawer	-	-				
hyperFresh premium temperature controlled drawers	_	_	_	_	_	_
hyperFresh plus temperature controlled chiller drawers	_	-	_	_	_	_
hyperFresh temperature controlled chiller drawers	_					
freshBox drawer	_	_		_	_	_
KEY FEATURES – FRIDGE SECTION						
Range of temperature (°C)	4–8	0, 4–8	0, 4–8	0, 4–8	0, 4–8	0, 4-8
Bottle rack		0,10	0, 1 0	0, 1 0	0,10	0,10
Number of shelves (safety glass)	4	5	5	5	4	4
Number of adjustable shelves	3	4	3	3	2	2
Number of door shelves	3	4	4	4	3	3
Temperature control and display	Interior Digital	Exterior Digital LED	Interior Digital LED	Exterior Digital	Interior Digital LED	Interior Digital LEI
Number of shelves in door (including easyLift)	3	4	4	4	3	3
Capacity of water tank (litres)	2.5	-	_	_		
		-	<u> </u>	<u> </u>	<u> </u>	
Water filter with indicator						
Home Connect / built-in cameras	-	-	-	-	-	-
ncluded accessories	1 x egg tray	3 x egg trays	3 x egg trays			
KEY FEATURES – FREEZER SECTION	_	_	_	_	_	_
Frost build up	noFrost	noFrost	noFrost	noFrost	noFrost	noFrost
Fhaw water drainage system	-	-	-	-	-	-
Storage period in power failure (h)	16	16	16	16	16	16
superFreeze switch						
Number of drawers / including bigBox	3	3	3	3	3	3
ncluded accessories	1 x ice cube tray inc.	1 x ice cube tray in				
	anti-spill lid	anti-spill lid				
FUNCTIONS						
Warning/malfunction signal	Visual and audible	Visual and audible				
Door open indicator freezer	Visual allu audible	Visual allu audible	Visual allu audible	Visual and addible	Visual allu audible	Visual allu audibii
Holiday mode	_	_	_	_	_	_
Sabbath mode	_				_	
	=	-	-	=	=	- -
DIMENSIONS AND INSTALLATION	CNIT	CNLT	CNLT	CNT	CNLT	CNL T
Climate class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	160	100	100	100	100	160
Total unit net capacity (litres)	319	435	400	366	324	304
Refrigerator gross capacity (litres)	239	338	290	290	247	207
reezer gross capacity (litres)	110	128	110	110	110	130
nyperFresh compartment net capacity (litres)	-	28	24	24	24	24
Height of the product (mm)	1860	2030	2030	2030	1860	1860
Nidth of the product (mm)	600	700	600	600	600	600
Will fit into a 600 / 700mm niche – ideal for replacement	■/-	-/■	■1-	■1-	■/-	■1-
Depth of the product (mm)	650	670	660	660	660	650
Depth with open door 90° (mm)	1210	1310	1210	1210	1210	1210

[■] Yes, model has this feature. — Feature not available for this model.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Freestanding Fridge Freezer Specifications

APPLIANCE TYPE				FRIDGE FREEZERS		
Design family		iQ 300	iQ 300	iQ 500	iQ 500	iQ 500
Model number	Stainless steel antiFingerprint	KG34NNL30G	KG33NNL30G	-	-	-
	Chrome inox-metallic	-	-	_	KG36VVI32G	KG33VVI31G
	White	KG34NNW30G	KG33NNW30G	KG39VVW31G	KG36VVW33G	KG33VVW31G
ERFORMANCE AND CO	DNSUMPTION					
nergy efficiency class		A++	A++	A++	A++	A++
nnual energy consump		293	228	237	226	219
Refrigerator net capacity	y (litres)	192	192	249	214	193
reezer net capacity (litr	res)	105	87	94	94	94
ا Noise level (dB [A] re 1	pW)	42	42	39	39	39
DESIGN FEATURES						
Design of handle		Horizontal integrated	Horizontal integrated	Integrated vertical	Integrated vertical	Integrated vertica
Reversible door, hinged	on right					
ED top light / LED side l	lights	II / —	■ / -	■ / -	I / -	■/-
Number of compressors	;	1	1	1	1	1
Number of cooling circu	uits	1	1	1	1	1
Number of temperature	zones fridge	1	1	=	-	-
lectronic temperature	display fridge/freezer	Digital LED	Digital LED	Digital LED	Digital LED	Digital LED
OOD FRESHNESS SYST	EM					
multiAirflow System				_	-	-
superCool switch with a	utomatic cut off			-	-	_
hyperFresh humidity co	ntrolled drawer	_	_			
reshBox drawer				=	-	-
KEY FEATURES – FRIDGI	E SECTION					
Range of temperature (°	°C)	4-8	4-8	4-8	4-8	4-8
Bottle rack		_	_			
Number of shelves (safe	ety glass)	3	3	5	4	4
Number of adjustable sh	helves	2	2	2	2	2
Number of door shelves		3	3	4	2	2
Temperature control and	d display	Interior Digital LED	Interior Digital LED	Interior Digital LED	Interior Digital LED	Interior Digital LEI
Number of shelves in do		3	3	4	3	3
ncluded accessories	, and grand, and	3 x egg trays	3 x egg trays	3 x egg trays	3 x egg trays	3 x egg trays
		93)-	- 11 - 33 11-7-	233, -	95,-	2939-
KEY FEATURES – FREEZI	ER SECTION					
rost build up		noFrost	noFrost	Manual / lowFrost	Manual / lowFrost	Manual / lowFros
Thaw water drainage sy	rstem	-	_			
Storage period in power		19	19	23	23	23
superFreeze switch						
Number of drawers / inc	luding bigBox	3	3	3/■	3	3
Included accessories		=	=	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray inc. anti-spill lid	2 x ice packs, 1 x ice cube tray in
FUNCTIONS				and Spinitia	a.r.a. spin na	anti-spill lid
UNCTIONS		Manal and an illia	Minus I am d a collida			
Warning/malfunction sig	~	Visual and audible	Visual and audible	_	-	_
Door open indicator free				-	-	-
DIMENSIONS AND INST	ALLATION	CN T	CN T	CN T	SN T	CNIT
Climate class ²		SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	Pr. X	100	100	90	90	90
Total unit net capacity (I		297	279	343	309	288
Refrigerator gross capac		196	196	252	217	196
Freezer gross capacity (I		128	110	95	95	95
Height of the product (r		1860	1760	2010	1860	1760
Width of the product (m		600	600	600	600	600
	nm niche – ideal for replacement	■/-	■ / –	■/-	■/-	■/-
Depth of the product (m	-	660	660	650	650	650
Depth with open door 9	10° (mm)	1210	1210	1200	1200	1200

■ Yes, model has this feature. — Feature not available for this model.

Freestanding Upright Fridge Specifications

					JPRIGHT FRIDGES		
Design family		iQ 700	iQ 700	iQ 500	iQ 500	iQ300	iQ 300
Model number	Stainless steel antiFingerprint	KS36FPI30	KS36WPI30	=	KS36VAI41G	KS36VVI30G	
	White	-	-	KS36VBW30G	-	KS36VVW30G	KS29VVW30G
PERFORMANCE AND C							
Energy efficiency class		A++	A++	A++	A+++	A++	A++
Annual energy consum		127	112	112	112	112	107
Refrigerator net capaci		300	346	346	346	346	290
Noise level (dB [A] re 1	pW)	41	39	39	39	39	39
DESIGN FEATURES							
Colour of side panels: Stainless steel model /	White model	Chrome inox-metallic	Chrome inox-metallic	– / White	Chrome inox-metallic	Chrome inox-metallic / White	– / White
Design of handle		External bar	External bar	External bar	External bar	External bar	External bar
Reversible door / hinge	ed on left or right	Reversible / left	- / left	Reversible / left	Reversible / left	Reversible / left	Reversible / lef
LED light	-						
Number of compressor	rs	1	1	1	1	1	1
Number of cooling circ	cuits	1	1	1	1	1	1
Number of temperatur		2	2	-	-	-	-
FOOD FRESHNESS SYS	3						
Range of temperature	(°C)	4-8	4-8	4-8	4-8	4-8	4-8
activeCooling		-	-	_	-		
Antibacterial air filter		-		-	-	-	-
hyperFresh premium to	emperature controlled drawers		-	_	_	-	_
· · ·	erature controlled chiller drawers	-		_	-	-	_
· · · · · ·	numidity controlled drawer		-	-	-	-	_
hyperFresh plus humic		-				-	-
hyperFresh humidity c		_	-		_		
KEY FEATURES – FRIDO							
Bottle rack		-	-	-	-		
Fully extendable glass	shelves for easy reach	_	-			-	_
No. of temperature zor	·	2	_	_	_	-	_
Number of glass safety		5	7	7	7	7	6
				5	5	5	4
		3	5 1				
Number of adjustable :	shelves	3 Full extension	5			_	_
Number of adjustable Drawers with telescop	shelves ic rails	Full extension				-	<u> </u>
Number of adjustable : Drawers with telescop Number of door shelve	shelves ic rails es	Full extension 3	-	-			
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in	shelves ic rails es n door	Full extension 3	- - -	-	-	-	<u> </u>
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in c	shelves ic rails es	Full extension 3	- - - 5	-		-	=
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in o Dispenser	shelves ic rails es n door	Full extension 3 5 -	- - - - 5 Water	4	- - 4 -	- - 4 -	- - 3 -
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in o Dispenser Thermometer	shelves ic rails es n door	Full extension 3 5 Interior Digital	- - - 5 Water Interior Digital	- - - 4	- - 4 - Interior Digital	- - 4 - Interior Digital	- - 3
Number of adjustable strength of the strength	shelves ic rails es n door	Full extension 3 5 - Interior Digital	- - 5 Water Interior Digital	- - 4 - Exterior Digital	- - 4 - Interior Digital	- 4 Interior Digital	– 3 – Interior Digital –
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in o Dispenser Thermometer Fast cooling switch Included accessories	shelves ic rails es n door door (including easyLift)	Full extension 3 5 Interior Digital	- - - 5 Water Interior Digital	4	- - 4 - Interior Digital	- - 4 - Interior Digital	– 3 – Interior Digital
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in o Dispenser Thermometer Fast cooling switch Included accessories KEY FEATURES – FREEZ	shelves ic rails es n door door (including easyLift)	Full extension 3 5 - Interior Digital	5 Water Interior Digital 1 x egg tray	- - 4 - Exterior Digital	- - 4 - Interior Digital	- 4 Interior Digital	– 3 – Interior Digital –
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in c Dispenser Thermometer Fast cooling switch Included accessories KEY FEATURES – FREE Included accessories	shelves ic rails es n door door (including easyLift)	Full extension 3 5 - Interior Digital 1 x egg tray	5 Water Interior Digital 1 x egg tray Water filter	- - 4 - Exterior Digital	4 - Interior Digital 1 x egg tray	- 4 - Interior Digital	– 3 – Interior Digital –
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in c Dispenser Thermometer Fast cooling switch Included accessories KEY FEATURES – FREE Included accessories	shelves ic rails es n door door (including easyLift)	Full extension 3 5 - Interior Digital 1 x egg tray	5 Water Interior Digital 1 x egg tray	4 Exterior Digital 1 x egg tray	- 4 - Interior Digital 1 x egg tray	- 4 - Interior Digital 1 x egg tray	– 3 – Interior Digital –
Number of adjustable signature of the state	shelves ic rails es n door door (including easyLift)	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining	5 Water Interior Digital 1 x egg tray Water filter KS36ZAL00	4 Exterior Digital 1 x egg tray	- 4 - Interior Digital 1 x egg tray	- 4 - Interior Digital 1 x egg tray	– 3 – Interior Digital –
Number of adjustable signature of the state	shelves ic rails es n door door (including easyLift)	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip		Exterior Digital 1 x egg tray	4	- 4 4 - Interior Digital 1 x egg tray	– 3 – Interior Digital –
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in c Dispenser Thermometer Fast cooling switch Included accessories KEY FEATURES – FREEZ Included accessories Optional accessories FUNCTIONS Electronic display	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT	Full extension 3 5 Interior Digital 1 x egg tray KS36ZAL00 - joining strip LCD display		- 4 - Exterior Digital 1 x egg tray	4 - Interior Digital - 1 x egg tray	- 4 4 - Interior Digital 1 x egg tray	- 3 - Interior Digital - 1 x egg tray -
Number of adjustable : Drawers with telescop Number of door shelve easyLift flexible shelf in Number of shelves in o Dispenser Thermometer Fast cooling switch Included accessories KEY FEATURES – FREE Included accessories Optional accessories FUNCTIONS Electronic display Warning/malfunctions	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip		Exterior Digital 1 x egg tray	4	- 4 4 - Interior Digital 1 x egg tray	- 3 - Interior Digital - 1 x egg tray - -
Number of adjustable in Drawers with telescop Number of door shelve easy. Lift flexible shelf in Number of shelves in control of the Number of shelpes in Control of the Number of shelpes in Numbe	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip LCD display	5 Water Interior Digital 1 x egg tray Water filter KS36ZAL00 KS63Z000 LCD display	- 4 - Exterior Digital 1 x egg tray LCD display	- 4 4 Interior Digital 1 x egg tray LCD display	- 4 - Interior Digital 1 x egg tray LCD display	- 3 - Interior Digital - 1 x egg tray
Number of adjustable signs of the state of t	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT signal TALLATION	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip LCD display	5 Water Interior Digital 1 x egg tray Water filter KS36ZAL00 KS63Z000 LCD display	- 4 - Exterior Digital 1 x egg tray LCD display	4 4 Interior Digital 1 x egg tray LCD display	- 4 4 - Interior Digital 1 x egg tray LCD display	- 3 Interior Digital - 1 x egg tray
Number of adjustable signature of the state	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT signal TALLATION	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip LCD display SN-ST 90		- LCD display SN-T 90	4 Interior Digital 1 x egg tray LCD display SN-T 90	- 4 - Interior Digital 1 x egg tray	- 3 3 - Interior Digital - 1 x egg tray SN-T 90
Number of adjustable significance of shelves with telescop Number of door shelve easyLift flexible shelf in Number of shelves in considerable of shelves in considerable of shelpes of shelves in considerable of shelpes of	shelves ic rails ss n door door (including easyLift) ZER COMPARTMENT signal TALLATION (mm)	Full extension 3 5 - Interior Digital 1 x egg tray KS36ZAL00 - joining strip LCD display SN-ST 90 1860		- LCD display SN-T 90 1860		- 4 4 Interior Digital 1 x egg tray	3 Interior Digital - 1 x egg tray
Number of adjustable signature of the state	shelves ic rails es n door door (including easyLift) ZER COMPARTMENT Signal TALLATION (mm) mm)	Full extension 3 5 - Interior Digital 1 x egg tray - KS36ZAL00 - joining strip LCD display SN-ST 90		- LCD display SN-T 90	4 Interior Digital 1 x egg tray LCD display SN-T 90	- 4 - Interior Digital 1 x egg tray	- 3 3 - Interior Digital - 1 x egg tray SN-T 90

■ Yes, model has this feature. — Feature not available for this model.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

Freestanding Upright Freezer Specifications

APPLIANCE TYPE					RIGHT FREEZERS		
Design family		iQ 700	iQ 700	iQ 500	iQ 500	iQ 300	iQ 300
Model number St	ainless steel antiFingerprint	GS36DPI20	-	-	GS36NAI31	GS36NVI30G	-
	White	-	GS36NBW30G	GS58NAW41	GS36NAW31G	GS36NVW30G	GS29NVW30G
PERFORMANCE AND CONSUM	MPTION						
Energy efficiency class		A+	A++	A+++	A++	A++	A++
Annual energy consumption1	(kWh)	279	234	201	234	234	211
Net capacity (litres)		210	237	360	239	237	195
Noise level (dB [A] re 1 pW)		42	42	41	42	42	42
DESIGN FEATURES							
Colour of side panels: Stainless steel model / White	model	Chrome inox-metallic	– / White	– / White	Chrome inox-metallic / White	Chrome inox-metallic / White	– / White
Design of handle		External bar	External bar	External bar	External bar	External bar	External bar
Reversible door / hinged on le	eft or right	Right	Reversible / right	Reversible / right	Reversible / right	Reversible / right	Reversible / right
LED light						-	-
Number of compressors		1	1	1	1	1	1
Number of cooling circuits		1	1	1	1	1	1
Number of evaporators		-	-	-	-	-	1
FOOD FRESHNESS SYSTEM							
activeCooling							
Temperature adjustable							
hyperFresh premium tempera	ature controlled drawers						
KEY FEATURES							
Number of drawers / including	g bigBox	6	5	6	7	7	5
Number of freezing flaps		2	2	3	2	2	1
Shelf material		-	Glass	Glass	Glass	Glass	Glass
Frost build up		noFrost	noFrost	noFrost	noFrost	noFrost	noFrost
superFreeze switch							
Storage period in power failu	re (h)	17	25	25	25	19	19
Automatic motor-driven ice-n	naker		-	-	-	-	_
Thermometer freezer section		Interior Digital	Exterior Digital	Interior Digital	Interior Digital	Interior Digital	Interior Digital
Dispenser		Crushed ice, ice cubes, quick ice, water, water filter	-	-	-	-	-
Included accessories		3 x ice packs	3 x ice packs, 1 x twist ice cube tray	3 x ice packs, 1 x twist ice cube tray	3 x ice packs, 1 x twist ice cube tray	2 x ice packs, 1 x ice cube tray	2 x ice packs
Optional accessories		KS36ZAL00 KS63Z000	KS63ZAW00	-	KS36ZAL00 KS63Z000	KS36ZAL00 KS63Z000	KS63ZAW00
DIMENSIONS AND INSTALLAT	ION						
Climate class ²		SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)		90	90	90	90	90	90
Height of the product (mm)		1870	1860	1910	1860	1860	1810
Width of the product (mm)		600	600	700	600	600	600
Depth of the product (mm)		650	650	780	650	650	650
Depth with open door 90° (m		1200	1200	1420	1200	1200	1200

■ Yes, model has this feature. — Feature not available for this model.


Freestanding American Fridge Freezer Specifications

APPLIANCE TYPE Design family		iQ 700	iQ 700	AMERICAN FRIDGE FREEZER iQ 500	iQ300	iQ 300
Model number	Stainless steel antiFingerprint	_	KA92DAI20G	KA90DVI20G	KA90IVI20G	KA90NVI20G
nodel Hambel	Black	KA92NLB35	-	-	-	-
PERFORMANCE AND CONSU						
nergy efficiency class		A++	A+	A+	A+	A+
Annual energy consumption	(kWh)	385	443	432	475	436
otal unit net capacity (litres)		592	541	523	573	533
Refrigerator net capacity (litr		375	368	360	373	370
reezer net capacity (litres)	-5/	217	173	163	200	163
Noise level (dB [A] re 1 pW)		43	43	43	44	43
DESIGN FEATURES						
Colour of side panels		Chrome inox-metallic	Chrome inox-metallic	Grey	Grey	Grey
ype of vertical handle		Integrated	Bar	Bar	Bar	Bar
Door hinge		Left & right	Left & right	Left & right	Left & right	Left & right
.ED light						
Number of compressors		1	1	1	1	1
lumber of cooling circuits		2	2	1	1	1
lumber of evaporators		2	2	1	1	1
OOD FRESHNESS SYSTEM		_	_			
ange of temperature (°C)		-		-	-	-
lumidity control drawer			_	_	_	_
Antibacterial air filter			_			
nultiAirflow System			_		_	
Temperature adjustable			_			
		Vegetable/salad drawer	Vegetable/salad drawer			
ood preservation containers		hydroFresh drawer	hydroFresh drawer	2 x Vegetable/salad drawer	2 x Vegetable/salad drawer	2 x Vegetable/salad draw
KEY FEATURES – FRIDGE SEC	TION	,	J			
ottle rack				_	-	-
ully extendable glass shelve	s for easy reach			_	_	_
lo. of temperature zones		1	1	1	1	1
Can holder				_	_	_
Number of glass safety shelve	es	4	4	4	4	4
Number of adjustable shelve		3	3	-	1	1
Prawers with telescopic rails				_	_	_
Number of door bins		3	3	1	1	1
easyLift flexible shelf in door				_	=	_
Thermometer		Analog	Digital	Digital	Digital	Digital
ast cooling switch						
ncluded accessories		1 x egg trays	2 x egg trays	3 x egg trays	4 x egg trays	4 x egg trays
(EY FEATURES – FREEZER SE	CTION	35 - 17	- SS - Vy			
lumber of drawers (includin		2	2	2	2	2
Shelf material		Glass	Glass	_	=	_
rost build up		noFrost	noFrost	noFrost	noFrost	noFrost
uperFreeze switch						
helf adjustability						
Automatic motor-driven ice-r	naker	-			_	-
Vater filter replacement indi		_		_	_	_
hermometer		Analog	Digital	Digital	Digital	Digital
Vater tank		-			=	_
vpe of control		touchControl	touchControl	touchControl	touchControl	touchControl
<u> </u>						touchcontrol
Dispenser		Ice	Crushed ice, ice cubes, water, water filter	Crushed ice, ice cubes, water	lce, water	_
ncluded accessories		2 x ice pack	2 x ice pack 1 x connection hose	1 x connection hose	-	-
UNCTIONS						
lectronic display		2 x LED	1 x LCD	2 x LED	2 x LED	2 x LED
/arning/malfunction signal		Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible
Iome Connect		-		-	-	-
IMENSIONS AND INSTALLA	TION					
Climate class ²		SN-T	SN-T	SN-T	SN-T	SN-T
Height of the product (mm)		1756	1756	1770	1770	1770
		010	910	910	910	910
Nidth of the product (mm)		910	710	310	3.10	3.0
		725	725	720	720	720

[■] Yes, model has this feature. — Feature not available for this model.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.



Siemens customer service



Siemens Home Appliances is part of BSH Home Appliances – winner of the Domestic and General Total Excellence and Quality Award for 2016.

Purchasing a Siemens appliance gives you access to our expert customer service team; for the lifetime of your appliance. With 2-5 year manufacturer's warranties on offer, multi-award winning products to choose from and assistance from an outstanding customer service department, you can be assured that the appliance you are buying will offer peace of mind.

Expert advice

Siemens Customer Service staff are full of knowledge and expertise, whether you have a simple question, want to order a spare or replacement part or require an engineer to visit your home. With engineers based locally across the country*, no one is better suited to help, and all Siemens repairs are analysed in advance so that we bring the correct replacement spare parts likely to be needed on the first visit**.

This is all supported by our outstanding online services, available 24 hours a day. Visit **siemens-home.bsh-group.com/uk** for product information, downloadable brochures, videos, instruction manuals and FAQs.

Telephone:

UK: **0344 892 8999** – Options 3 and 4 IRL: **(01) 450 2655**

Original replacement spare parts

Order replacement parts online and access exploded diagrams to help you locate the correct part. As a manufacturer we only use original spare parts and we keep a comprehensive range of parts available for up to ten years.

Telephone:

UK: **0344 892 8999** – Option 2 IRL: **(01) 450 2655**

siemens-home.bsh-group.com/uk/shop siemens-home.bsh-group.com/ie/shop

Accessories and cleaning products

Order accessories and cleaning products quickly and easily via our online shop. The Siemens shop has an extensive selection of accessories to help you make the most of your Siemens appliance. With our range of tested and approved cleaning and care products you can keep your appliance looking good and working to optimum performance.

Telephone:

UK: **0344 892 8999** – Option 2 IRL: **(01) 450 2655**

siemens-home.bsh-group.com/uk/shop siemens-home.bsh-group.com/ie/shop

Siemens engineers ready to help

Need to arrange an engineer visit? No problem, simply call our Customer Service team to discuss the issue with your appliance and if needed we will arrange a home appointment with an engineer at your convenience. You can book an appointment online or by telephone and we repair both in and outside the manufacturer's warranty period.


Telephone:

UK: **0344 892 8999** – Option 1 IRL: **(01) 450 2655**

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie***

84 | Speed. Energy-efficency. Style. |

^{*}In certain areas we may use an approved service partner. **This process may vary where service partners are used by us. *** Online booking not available in Ireland. Calls to 0344 numbers are charged at the basic rate, please check with your telephone service provider for exact charges.



Our advisors provide expert assistance

- Product information before and after purchase
- Tips on functions and operation
- User related queries
- Help with Siemens promotions

Telephone:

UK: **0344 892 8999** – Options 3 and 4

For product support available 24 hours

a day visit our website for:

- Product information
- Downloadable brochures
- Videos
- Instruction manuals
- FAQs

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

Accessories and cleaning products

We stock an extensive selection of accessories and cleaning products to help you make the most of your Siemens appliance.

- Original accessories for Siemens appliances
- Tested and approved cleaning and care products
- Quickly and easily order your accessories and cleaning products by telephone or via our online shop

Telephone:

UK: 0344 892 8999 - Option 2

IRL: (01) 450 2655

siemens-home.bsh-group.com/uk/shop siemens-home.bsh-group.com/ie/shop

Replacement spare parts

As the manufacturer, we only use original spare parts to ensure the quality of your appliance.

- Comprehensive range of parts kept available for up to 10 years
- Original spare parts
- Browse appliance diagrams online to locate and purchase the parts you need

Telephone:

UK: **0344 892 8999** – Option 2

IRL: (01) 450 2655

siemens-home.bsh-group.com/uk/shop siemens-home.bsh-group.com/ie/shop

Arrange an engineer visit

Siemens appliances are built to the highest standards but if you do require an engineer to visit your home, we are here to help, both in and outside the manufacturer's warranty period. Our engineers are employed and trained by Siemens and are based locally around the country*.

No one knows our appliances better, and all repairs are analysed in advance by a technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit **.

- Call to discuss the issue with an appliance or check online for help
- Engineer appointments at your convenience

Telephone:

UK: **0344 892 8999** – Option 1 IRL: **(01) 450 2655**

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie***

Register your manufacturer's warranty

FREE 2 year warranty

Telephone:

UK: 0800 519 2116 IRL: (01) 230 0344

Or register online:

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

FREE 5 year warranty (selected appliances only) The extended warranty covers, at no extra cost; parts, labour and call out charges.

To register telephone: UK: **0344 892 8999** – Option 5 IRL: (01) 450 2655

Or register online: siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie

A full copy of our warranty terms and conditions is available on request, or can be viewed via the Siemens website.

FREE 10 year iQdrive Motor warranty

Covers the cost of a replacement motor[†] and is available on selected washing machines and washer dryers. Please keep a proof of purchase if you own an applicable appliance to register the iQdrive motor warranty.

FREE 10 year Anti-Rust Warranty for dishwashers

Covers rusting throughout the inner cavity of all dishwashers from the inside out. This warranty can be registered during the 2 year and 5 year Siemens registration process.

Register my appliance

Siemens recommends that you register all home appliances to ensure you can be easily contacted in the event of an important product update. For more information about registering appliances of all brands, please visit: registermyappliance.org.uk

Brochures

IRL: **(01) 450 2655**


Lines are open 24 hours a day. Our specialist advisor are available to help Monday to Friday 8am to 8pm Saturday 8am to 4pm and Sunday 9am to 3pm.

siemens-home.bsh-group.com/uk siemens-home.bsh-group.com/ie



- In certain areas we may use an approved service partner.
 This process may vary where approved service partners are used by us.
 Online booking not available in Ireland.
- iQdrive warranty covers the cost of a replacement motor only. All labour and call-out charges outside of the 5-year warranty are not covered. A full copy of our warranty terms and conditions is available on request, or can be viewed via the Siemens website. Calls to 0344 numbers are charged at the basic rate, please check with your telephone service provider for exact charges.

Speed. Energy-efficency. Style.



is committed to protecting the Earth's natural

Investing in the More than 80 percent* of the environmental impact occurring over a home appliance's lifetime is attributable to the usage phase. This is why, over the last few decades, BSH developers have been focusing on designing future, Siemens appliances that consume less energy, water and detergent. Environmental protection and energy efficiency are core topics within our corporate strategy.

What does this mean to you?

Our innovative energy-saving solutions from leading energy saving motors, to the brightest white, lowenergy (LED) light can save you money and decrease your energy usage.

resources. Energy saving comes automatically Supporting environmental initiatives, the EU energy efficiency label is carried on all appliances, with class A+++ being the most energy efficient – reinforcing our focus on reducing energy consumption of our appliances, reducing our carbon footprint, and passing on this energy saving to you, the consumer.



World-class performance. Minimum environmental impact.

World-class performance

The Siemens i-Dos washing machine eliminates overdosing, cuts longer wash cycles and reduces unnecessary extra rinsing. This saves up to 7,000 litres of water and 11 litres of detergent per year, whilst cutting down the average cycle time by 14 minutes – amounting to a saving of two full days per year in the machine's running time.

All Siemens washing machines automatically adapt the wash time and energy consumption to the amount of laundry in the machine. Decreasing a washing machine's cycle time by up to 65%, speedPerfect is ideal for getting through laundry quickly, whereas ecoPerfect reduces the machines energy output by up to 50% by lengthening the time of a cycle. All of our core range of models carry the most efficient A+++ energy rating.

All Siemens fridge freezers have a minimum A+ rating for energy efficiency. All freestanding A++ and A+++ cooling appliances are now supplied with a green power cable and the freezers come with two green ice packs to help identify them as being super efficient.

Much is the same for dishwashers with all of the Siemens range rated at least A+ for energy efficiency. Siemens dishwashers with Zeolith® set the standard for A+++ energy efficiency. Zeolith® science combined with our smart energy-saving hydroDry technology helps to make our innovative dishwashers super efficient.

In buying a Siemens product you can expect outstanding world-class performance, as well as a clear conscience.

Speed. Energy-efficency. Style.

^{*}Source: BSH Bosch und Siemens hausgerate GMBH, Our Super Efficiency Portfolio

Keep up to date with all of Siemens' activities.

Visit Siemens online at siemens-home.bsh-group.com/uk

Find out about our latest promotions and news, plus a chance to discover our full range of intelligent appliances in even more detail.

Like and follow Siemens Home UK on Facebook, Twitter, Instagram and Pinterest for the latest updates about our products, features and innovations. Not to mention competitions, preview videos, exclusive content and a chance for you to speak with Siemens Home Appliances.



/SiemensHomeU



@SiemensHomeUK



/SiemensHomeUK



siemenshomeul



Siemens, a division of BSH Home Appliances Ltd, Grand Union House, Old Wolverton Road, Wolverton, Milton Keynes, MK12 5PT Tel: 0344 892 9040

Tel: 0344 892 9040 Fax: 01908 328499

siemens-home.bsh-group.com/uk

BSH Home Appliances Ltd, M50 Business Park, Ballymount, Dublin 12 Tel: 1890 626041

(Northern Ireland 00353 1 8930201)

Fax: 1890 626042

(Northern Ireland 00353 1 8930209)

siemens-home.bsh-group.com/ie

BSH Group is a Trademark Licensee of Siemens AG

Disclaimer

This brochure is current as from the publication date and supersedes all previous brochures for these products. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd.

This brochure should not be regarded as an infallible quide nor as an offer of sale for a particular product.

Due to variables in the reproduction process, colours of actual products may vary slightly from those depicted. We recommend a visit to a Siemens dealer to confirm that specifications and colours are to your satisfaction.

Valid from April 2017

